




HOME 2015

LIGHTING IDEAS

CONTENTS



ENTRANCE
TERRACE
GARDEN
004 – 061



HALL
STAIRWAY
062 – 089




LIVING ROOM
090 – 119



KITCHEN
DINING AREA
120 – 147



BATHROOM
GUEST BATHROOM
148 – 161



BEDROOM
162 – 175



NURSERY
YOUTH ROOM
176 – 183



HOME OFFICE
184 – 193



SLV CONTROL
194 – 200



ENTRANCE | TERRACE | GARDEN

Chosen outdoor lighting especially for entrance areas. Due to energy-saving [LED] technique particularly suited for permanent lighting of paths, stairs and doors. Set your house in the right light, it's the first impression that counts!







DOLIX OUT GU10

Round, Clip Springs – High Voltage




Version	Colour	Item no.	Price
Dolix Out GU10, round GU10 / $\leq QPAR51$ [excl.]	white	111021	
	chrome	111022	
	silver-grey	111024	
	titanium	111027	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data on page 044.]



TERANG



Version	Colour	Item no.	Price
Terang SMD LED [incl.]	white	229921	
	silver-grey	229924	
	anthracite	229925	

[Please find detailed technical data on page 044.]



Motion detector
not visible.



MERIDIAN BOX with Sensor




Version	Colour	Item no.	Price
Meridian Box with sensor E27 / TC(...SE [excl.]	silver-grey	230084	
	anthracite	230085	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	



[Please find detailed technical data on page 045.]



MERIDIAN 2



Version	Colour	Item no.	Price
Meridian 2	silver-grey	230444	
E27 /  TC(...)SE [excl.]	anthracite	230445	


	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161 	

[Please find detailed technical data on page 045.]







The powerful LED integrated into the front lamp frame radiates towards the wall or floor – depending on the installation.



Indirect lighting
Premium LED

LOGS



Version	Colour	Item no.	Price
Logs Wall LED COB LED [incl.]	white	232101	
	silver-grey	232104	
	anthracite	232105	



Version	Colour	Item no.	Price
Logs 40 LED COB LED [incl.]	silver-grey	232114	
	anthracite	232115	



Version	Colour	Item no.	Price
Logs 70 LED COB LED [incl.]	silver-grey	232124	
	anthracite	232125	

Recommended accessory [excl.]	Material	Item no.	Price
Set of screws for Logs 40/70	stainless steel	228754	
Earth spike for Logs 40/70	steel galvanized	231230	
Connection box IP68 for Logs 40/70	plastics	228730	

[Please find detailed technical data on page 046.]



SLV
HIGH-
LIGHT



Premium LED

DELWA PATHLIGHT



Version	Colour	Item no.	Price
Delwa Pathlight LED PowerLED [incl.]	white	232201	
	anthracite	232205	
	alu brushed	232206	

Recommended accessory [excl.]	Material	Item no.	Price
Concrete anchor set for Delwa Pathlight	stainless steel 304	229840	
Earth spike for Delwa Pathlight	stainless steel 304	229841	
Connection box IP68 for Delwa Pathlight	plastics	228726	

[Please find detailed technical data on page 047.]




i Adjustable lamp head, thus individual lighting effect.



ROX PATHLIGHT



Version	Colour	Item no.	Price
Rox Pathlight GU10 / ◀ QPAR111 [excl.]	alu brushed	229836	


	Recommended lamp [excl.]	Wattage	Item no.	Price
	ES111, PowerLED 2700K, EEC=A	17,5W	551642	

Recommended accessory [excl.]	Material	Item no.	Price
Concrete anchor set for Rox Pathlight	stainless steel 304	229840	
Earth spike for Rox Pathlight	stainless steel 304	229841	
Connection box IP68 for Rox Pathlight	plastics	228726	

[Please find detailed technical data on page 047.]



SLV
HIGH-
LIGHT




Natural stone granite
Stainless steel



EEC=
A-A++

Version	Colour	Item no.	Price
Arrock Slot GU10 GU10 /  GU10 51 mm [excl.]	salt & pepper	231440	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS GU10, LEDspot 3000K, EEC=A+	4W	560084	

Recommended lamp [excl.]	Material	Item no.	Price
Earth spike for Arrock Slot GU10	steel galvanized	231235	
Connection box IP68 for Arrock Slot GU10	plastics	228730	

ARROCK SLOT GU10

[Please find detailed technical data on page 048.]



Natural stone granite
Stainless steel



Version	Colour	Item no.	Price
Arrock Granite 40 Round E27 / TC(...)SE [excl.]	salt & pepper	231430	
Arrock Granite 70 Round E27 / TC(...)SE [excl.]		231431	

Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS ELD E27 2700K, EEC=A	11W	508211	

ARROCK GRANITE 40 | 70 ROUND

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Arrock Granite 40/70 Round	steel galvanized	229422	
Connection box IP68 for Arrock Granite 40/70 Round	plastics	228730	

[Please find detailed technical data on page 048.]



SLV
HIGH-
LIGHT

NEW



i

Stainless steel 316 - particularly weather-proof
Premium COB LED



EEC= A-A++

Version	Colour	Item no.	Price
Vap LED 30 LED COB LED [incl.]	stainless steel brushed	231893	
Vap LED 60 LED COB LED [incl.]		231896	

Recommended accessory [excl.]	Material	Item no.	Price
Concrete anchor set for Vap LED 30/60	stainless steel	230061	
Earth spike for Vap LED 30/60	steel galvanized	230060	

VAP LED
30 | 60

[Please find detailed technical data on page 049.]



SQUARE POLE 30 | 60 | 90



Alu brushed/varnished



EEC=
A-A+

Version	Colour	Item no.	Price
Square Pole 30 E27 / TC(...)SE [excl.]	alu brushed varnished	232236	
Square Pole 60 E27 / TC(...)SE [excl.]		232246	
Square Pole 90 E27 / TC(...)SE [excl.]		232249	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

Recommended accessory [excl.]	Material	Item no.	Price
Concrete anchor set for Square Pole 30/60/90	stainless steel 304	232220	
Earth spike for Square Pole 30/60/90	steel galvanized	231234	


[Please find detailed technical data on page 049.]



WALLYX GU10




Version	Colour	Item no.	Price
Wallyx GU10 GU10 / QPAR51 [excl.]	white	227191	
	silver-grey	227194	
	anthracite	227195	
	antique bronze	227198	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	


[Please find detailed technical data on page 050.]




SITRA CUBE



Version	Colour	Item no.	Price
Sitra Cube 2x GX53 / 1 TCR-TSE [excl.]	white	232531	
	anthracite	232535	
	rusty	232537	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GX53 3000K, EEC=A++	3W	551372	

[Please find detailed technical data on page 050.]



THEO UP-DOWN OUT



Version	Colour	Item no.	Price
Theo Up-Down Out GU10 / \leq QPAR51 [excl.]	white	229531	
	silver-grey	229532	
	anthracite	229535	
	alu brushed	229536	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data on page 050.]






ASTINA OUT ESL



Version	Colour	Item no.	Price
Astina Out ESL GU10 / LED [excl.]	white	228771	
	silver-grey	228774	
	anthracite	228775	
	alu brushed	228776	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data on page 051.]



i
Premium LED



QUAD



Version	Colour	Item no.	Price
Quad 1 LED PowerLED (incl.)	white	232461	
	anthracite	232465	



Version	Colour	Item no.	Price
Quad 2 LED PowerLED (incl.)	white	232471	
	anthracite	232475	

[Please find detailed technical data on page 051.]




The outdoor fittings Lipsy® Out Floor and Rotoball Floor are translucent light objects that with their classic shapes present eye-catchers in every garden area.

Please note that despite their sturdy material the fittings are not suitable to be sat on. In order to avoid heat accumulation, no standard lamps must be used.



Mobile fitting

LIPSY® OUT FLOOR



Version	Colour	Item no.	Price
Lipsy® Out Floor E27 / TC(...)/SE [excl.]	white	227361	

Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 052.]





Mobile fitting

ROTOBALL FLOOR



Version	Colour	Item no.	Price
Rotoball Floor E27 / *TC(...)*SE [excl.]	white	227221	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161 	

[Please find detailed technical data on page 052.]



The outdoor fitting **Dett** is ideally suited for outdoors due to its closed plastics coating.


Despite its inviting design, the fitting is not suitable to be sat on.





Mobile fitting



DETT



Version	Colour	Item no.	Price
Dett E27 / TC(...)/SE [excl.]	white	227211	

Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	6W	560160 	

[Please find detailed technical data on page 052.]



Plenum® Swing is ideally suited for outdoors due to its closed plastics shade.



Powder-coated
Mobile fitting

PLENUM® SWING



Version	Colour	Item no.	Price
Plenum® Swing E27 / TC(...).JSE [excl.]	anthracite	228995	

Recommended lamp [excl.]	Wattage	Item no.	Price
E27, Minilyn 2700K, EEC=A	23W	508770	

[Please find detailed technical data on page 053.]





Mobile fittings – sets light effects wherever suits you.
Lamp shade: extremely UV-proof polycarbonate
Fitting: powder-coated

Adegan is ideally suited for outdoors due to its closed plastics shade.

ADEGAN




Version	Colour	Item no.	Price
Adegan E27 / TC(...)SE [excl.]	white/white	228961	
	anthracite/white	228965	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	E27, Minilyn 2700K, EEC=A	23W	508770	

Recommended accessory [excl.]	Colour	Item no.	Price
Earth spike for Adegan	anthracite	228960	

[Please find detailed technical data on page 053.]




Netting weather-proof
Stainless steel
Mobile fitting

Adegan Manila SL



Adegan Manila TL



ADEGAN MANILA TL | SL



EEC= A-A+



Version	Colour	Item no.	Price
Adegan Manila TL E27 / TC(...SE [excl.]	stainless steel	231385	
Adegan Manila SL E27 / TC(...SE [excl.]	anthracite	231395	

Recommended lamp [excl.]	Wattage	Item no.	Price
E27, Minilynx 2700K, EEC=A	23W	508770	

[Please find detailed technical data on page 054.]





SLV
HIGH-
LIGHT



i

Steel rusted
Each fitting is unique!



EEC= A-A+

Version	Colour	Item no.	Price
Rusty Square 40 E27 / TC(...SE [excl.]	iron rusted	229420	
Rusty Square 70 E27 / TC(...SE [excl.]		229421	

Recommended lamp [excl.]	Wattage	Item no.	Price
E27, SMD LED, Tube 3000K, EEC=A+	4,7W	551532	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Rusty Square 40 70	steel galvanized	229422	
Connection box IP68 for Rusty Square 40 70	plastics	228730	

RUSTY SQUARE
40 | 70

[Please find detailed technical data on page 055.]



Steel rusted
Each fitting is unique!



Version	Colour	Item no.	Price
Rusty Slot 50 E27 / TC(...).SE [excl.]	iron rusted	229410	
Rusty Slot 80 E27 / TC(...).SE [excl.]		229411	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	E27, SMD LED, Tube 3000K, EEC=A+	4,7W	551532	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Rusty Slot 50 80	steel galvanized	231230	
Connection box IP68 for Rusty Slot 50 80	plastics	228730	

[Please find detailed technical data on page 055.]

RUSTY SLOT 50 | 80



SLV
HIGH-
LIGHT



Natural stone granite
Stainless steel




ARROCK ARC GU10



EEC=
E-A++

Version	Colour	Item no.	Price
Arrock Arc GU10 GU10 / QPAR51 [excl.]	salt & pepper	231420	

Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS GU10, LEDspot 3000K, EEC=A+	4W	560084	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Arrock Arc GU10	steel galvanized	231233	

[Please find detailed technical data on page 056.]



Natural stone granite
Stainless steel



Version	Colour	Item no.	Price
Arrock Granite 40 E27 / TC(...)SE [excl.]	salt & pepper	231410	
Arrock Granite 70 E27 / TC(...)SE [excl.]		231411	

Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Arrock Granite 40 70	steel galvanized	229422	
Connection box IP68 for Arrock Granite 40 70	plastics	228730	

ARROCK GRANITE 40 | 70

[Please find detailed technical data on page 056.]



Big Nails Plus
Wall light



Big Nails Plus 50 | 80



Stainless steel

EEC= A-A+

Version	Colour	Item no.	Price
Big Nails Plus Wall Light E27 / TC(...,SE [excl.]		231622	
Big Nails Plus 50 E27 / TC(...,SE [excl.]	stainless steel	231602	
Big Nails Plus 80 E27 / TC(...,SE [excl.]		231612	

Recommended lamp [excl.]	Wattage	Item no.	Price
E27, SMD LED, Tube 3000K, EEC=A+	4,7W	551532	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for Big Nails Plus 50 80	steel galvanized	227922	
Connection box IP68 for Big Nails Plus	plastics	228730	

[Please find detailed technical data on page 057.]


BIG NAILS PLUS



The New Myra 1 and 2 lamp head can be used as a spike light with the accessories end piece/earth spike.

↓+A
↑- EEC= B-A++

Version	Colour	Item no.	Price
New Myra 1 GU10 / \leq QPAR51 [excl.]	silver-grey	233174	
	anthracite	233175	
New Myra 2 GU10 / \leq QPAR51 [excl.]	silver-grey	233184	
	anthracite	233185	

Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS GU10, LEDspot 3000K, EEC=A+	4W	560084	

Recommended accessory [excl.]	Colour	Item no.	Price
Extension rod for New Myra 1 2	silver-grey	233164	
	anthracite	233165	
End piece/earth spike for New Myra 1 2	silver-grey	233154	
	anthracite	233155	
Connection box IP68 for New Myra 1 2	-	228724	

NEW MYRA 1 | 2

[Please find detailed technical data on page 058.]





NAUTILUS SPIKE



Version	Colour	Item no.	Price
Nautilus Spike GU10 / QPAR51 [excl.]	silver-grey	227418	



Version	Colour	Item no.	Price
Nautilus Spike XL GU10 / GU10 [excl.]	black	227410	



Elongated design XL for longer LED lamps.



Version	Colour	Item no.	Price
Nautilus Spike stainless steel GU10 / QPAR51 [excl.]	stainless steel brushed	229740	



Stainless steel 316 – extremely weather-proof

	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	


[Please find detailed technical data on page 059.]



LED OUTDOOR BEAM 10 | 30 | 50W



Version	Colour	Colour temperature	Item no.	Price
LED Outdoor Beam 10W LED COB LED [incl.]	silver-grey	5700K	231101	
		3500K	231102	



Version	Colour	Colour temperature	Item no.	Price
LED Outdoor Beam 30W LED COB LED [incl.]	silver-grey	5700K	231111	
		3000K	231112	

Recommended accessory [excl.]	Material	Item no.	Price
Earth spike for LED Outdoor Beam 10/30W	plastics	900011	

[Please find detailed technical data on page 060.]



Version	Colour	Colour temperature	Item no.	Price
LED Outdoor Beam 50W LED COB LED [incl.]	silver-grey	5700K	231121	
		3000K	231122	


[Please find detailed technical data on page 060.]



Front: stainless steel
Particularly flat design
Premium LED



DASAR® FLAT LED 230V



Version	Colour	Colour temperature	Item no.	Price
Dasar® Flat LED 230V LED COB LED [incl.]	stainless steel	5700K	228411	
	brushed	3000K	228412	

[Please find detailed technical data on page 060.]







Can be tilted out
Rotatable

GIMBLE OUT 90



Version	Colour	Item no.	Price
Gimble Out 90 GX5,3 / 4 QR-CBC51 [excl.]	alu brushed	228360	
	anthracite	228365	

Recommended lamp [excl.]	Wattage	Item no.	Price
 GU5,3, SMD LED 2700K, EEC=A+	3,8W	551242	

Recommended connection [excl.]	Item no.	Price
 IP44 conventional transformer 60VA/12V-	227160	

[Please find detailed technical data on page 061.]



Front: stainless steel 316




DASAR® 115 GU10



Version	Shape	Colour	Item no.	Price
Dasar® 115 GU10		stainless steel	229320	
GU10 / QPAR51 [excl.]		steel	229324	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS GU10, LEDspot 3000K, EEC=A+	4W	560084	

[Please find detailed technical data on page 061.]



DOLIX OUT GU10 ROUND Clip Springs – High-Voltage



page 006


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Front Ø in cm	Front H in cm	Height in cm	Wattage lamp	Note	Colour	Item no.	Price
GU10 / QPAR51	LED	Aluminium/ glass satined	8,0	0,5	13,0	35W max.	Material thickness ceiling: 15 mm max.	white	111021	
								chrome	111022	
								silver-grey	111024	
								titanium	111027	

LED GU10, 4,3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Power consumption: 39mA




TERANG




page 007

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED SMD LED	Aluminium/acrylic	17,5	11,0	7,5	LED driver [incl.]	9W	7,2W	3000K	700lm	CRI>80	white	229921	
											silver-grey	229924	
											anthracite	229925	



Motion detector not visible

MERIDIAN BOX with Sensor



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 7/17,5 cm		Aluminium/PC	13,0	37,0	14,0	Motion detector with MR technique [incl.]	25W max.	silver-grey	230084	
								anthracite	230085	

page
008


Note: We recommend using switch-proof lamps such as Philips-Stairway or LED lamps.

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Power consumption: 70mA.



MERIDIAN 2



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 7/17,5 cm		Aluminium/PC	14,0	38,0	14,5	25W max.	silver-grey	230444	
							anthracite	230445	


page
009

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	


Power consumption: 70mA.


 Indirect illumination
 Premium LED

LOGS WALL


 page
 010-
 011

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium	13,0	8,0	13,2	LED driver [incl.]	8W	6W	3000K	450lm	CRI>80	white	232101	
											silver-grey	232104	
											anthracite	232105	


 Indirect illumination
 Premium LED

LOGS 40


 page
 010-
 011

Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium	13,0	8,0	39,5	LED driver [incl.] Screws and dowels [excl.]	8W	6W	3000K	450lm	CRI>80	silver-grey	232114	
											anthracite	232115	


 Recommended
 accessory
 Connection box IP68
 plastics, 3-pole
 Ø/L: 2,7/11,5 cm

 Item no.
 228730

Price


 Recommended
 accessory
 Set of screws
 stainless steel
 Ø/L: 0,55/3,8 cm


 Item no.
 228754

Price


 Recommended
 accessory
 Earth spike
 steel galvanized
 product L: 48 cm

 Item no.
 231230

Price


 Indirect illumination
 Premium LED

LOGS 70


 page
 010-
 011

Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium	13,0	8,0	69,5	LED driver [incl.] Screws and dowels [excl.]	8W	6W	3000K	450lm	CRI>80	silver-grey	232124	
											anthracite	232125	


 Recommended
 accessory
 Connection box IP68
 plastics, 3-pole
 Ø/L: 2,7/11,5 cm

 Item no.
 228730

Price


 Recommended
 accessory
 Set of screws
 stainless steel
 Ø/L: 0,55/3,8 cm


 Item no.
 228754

Price


 Recommended
 accessory
 Earth spike
 steel galvanized
 product L: 48 cm

 Item no.
 231230

Price



Premium LED

DELWA PATHLIGHT




Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED PowerLED	Aluminium	21,5	61,0	7,0	6,8W	4x 1,5W	3000K	200lm	CRI>80	white	232201	
										anthracite	232205	
										alu brushed	232206	

page 012


Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
	229840			229841			228726	

For a safe connection in the lamp shaft.



Adjustable lamp head, thus individual lighting effect.

ROX PATHLIGHT



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Head Ø in cm	Head H in cm	Note	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR111	LED	Aluminium/glass	21,5	61,0	12,5	13,4	Not suitable for DomeLED ES111.	50W max.	alu brushed	229836	

page 013

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
	229840			229841			228726	


For a safe connection in the lamp shaft.

LED ES111, Type PowerLED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
GU10	17,5W	18kWh/1000h	11,1	7,1	2700K	1340cd	880lm	CRI 80	30°	EEC=A	551642	

Power consumption: 78mA. Please keep the dimmer's minimum capacity in mind.



Natural stone granite, stainless steel

ARROCK SLOT GU10




page 014

Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Base W in cm	Base D in cm	Note	Wattage Lamp	Colour	Item no.	Price
GU10 / LED GU10 51 mm	Granite/stainless steel 304	13,0	70,5	13,0	17,0	17,0	Supply line: open cable end. Granite is a natural product. Each fitting is unique.	4W max.	salt & pepper	231440	


Image	Recommended accessory	Item no.	Price	Image	Recommended accessory	Item no.	Price
	Earth spike, steel galvanized product L/W/D: 17/17/48,5 cm weight: 1,27 kg	231235			Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	
For a safe connection in the lamp shaft.							

PHILIPS LED SPOT GU10, Type PowerLED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	

Power consumption: 35mA



Natural stone granite, stainless steel

ARROCK GRANITE 40 | 70 ROUND



page 015

Socket/ Lamp [excl.]	Material	Ø in cm	Height in cm	Base W in cm	Base D in cm	Note	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 4,3/11,5 cm	Granite/stainless steel	12,0	40,0 70,0	17,0	17,0	Granite is a natural product. Each fitting is unique.	15W max.	salt & pepper	231430 231431	


Image	Recommended accessory	Item no.	Price	Image	Recommended accessory	Item no.	Price
	Earth spike, steel galvanized Product L: 50 cm	229422			Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	
For a safe connection in the lamp shaft.							

PHILIPS ELD E27 Energy-saving lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	11W	11kWh/1000h	4,4	11,7	2700K	600lm	CRI 80	EEC=A	508211	

Power consumption: 80mA



SLV
HIGH-LIGHT

NEW

Stainless steel 316 - particularly weather-proof
Premium COB LED


VAP LED 30 | 60



Socket/ Lamp [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Stainless steel 316	10,0	30,0	6,7W max.	8,9W	3000K	320lm	CRI 80	stainless steel brushed	231893	
			60,0							231896	

page
016

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
Concrete anchor set stainless steel	230061		Earth spike steel galvanized Product L: 48 cm	230060	



SLV
HIGH-LIGHT

Alu brushed/varnished

SQUARE POLE 30 | 60 | 90



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Depth in cm	Height in cm	Base W in cm	Base D in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 6/15 cm	LED	Aluminium/acrylic	13,0	13,0	30,0	18,0	18,0	20W max.	alu brushed/varnished	232236	
					60,0					232246	
					90,0					232249	

page
017


Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
Concrete anchor set stainless steel 304	232220		Earth spike steel galvanized product L: 50 cm	231234	

PHILIPS E27 10W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	6W	6kWh/1000h	5,6	10,3	0,08	2700K	470lm	CRI 80	EEC=A+	560160	
	10W	10kWh/1000h	6	11	0,14		806lm			560161	

Power consumption: 40 / 70 mA.



WALLYX GU10



page 018


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \llcorner QPAR51 up to max. length: 7,6 cm	LED	Aluminium	10,0	15,3	11,7	50W max.	white	227191	
							silver-grey	227194	
							anthracite	227195	
							antique bronze	227198	

LED GU10, 4,3W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Power consumption: 39mA




SITRA CUBE



page 019

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
GX53 / \llcorner TCP-TSE up to max. Ø/H: 7,5/2,7 cm	LED	Aluminium	10,8	11,5	11,0	2x 9W max.	white	232531	
							anthracite	232535	
							rusty	232537	

LED GX53, 3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GX53	3W	3kWh/1000h	7,5	2,9	6500K	3000K	260lm	CRI 85	EEC=A++	551371	
					3000K		250lm	CRI 83		551372	

Power consumption: 30mA



THEO UP-DOWN OUT



page 020-021


Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \llcorner QPAR51	Aluminium/glass	7,0	22,5	7,5	2x 35W max.	white	229531	
						silver-grey	229532	
						anthracite	229535	
						alu brushed	229536	

LED GU10, 4,3W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Power consumption: 39mA



ASTINA OUT ESL



Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / LED up to max. length: 9 cm	Aluminium	6,0	23,0	10,0	2x 11W max.	white	228771	
						silver-grey	228774	
						anthracite	228775	
						alu brushed	228776	


page
022

LED GU10, 4,3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Power consumption: 39mA




QUAD 1



Premium LED

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED PowerLED	Aluminium/glass	6,4	8,7	4,2	LED driver [incl.]	4W	3000K	80lm	CRI 80	white	232461	
										anthracite	232465	

page
023




QUAD 2



Premium LED

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED PowerLED	Aluminium/glass	4,0	12,4	9,5	LED driver [incl.]	6,8W	3000K	175lm	CRI 80	white	232471	
								140lm		anthracite	232475	

page
023




Mobile fitting

LIPSY® OUT FLOOR

page
024

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Supply line L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...) SE up to max. length: 11,6 cm		PE	34,0	22,0	2 m	Mains plug: IP-shaped [incl.]	23W max.	white	227361	




Mobile fitting

ROTOBALL FLOOR

page
025

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...) SE, up to max. Ø: 9,5 cm		PE/steel	50,0	2 m	Mains plug: IP safety plug [incl.]	24W max.	white	227221	



Mobile fitting

DETT

page
026

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...) SE up to max. Ø: 5,2 cm		PE	30,0	30,0	32,0	2 m	Mains plug: IP-shaped [incl.]	24W max.	white	227211	

PHILIPS E27 10W, Type SMD LED



NEW



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	6W	6kWh/1000h	5,6	10,3	0,08	2700K	470lm	CRI 80	EEC=A+	560160	
	10W	10kWh/1000h	6	11	0,14		806lm			560161	

Power consumption: 40 / 70 mA.


FIESTA BULB 3.0, 5,5W, Type 3in1 RGB SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	LED-Colour	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	5,5W	6kWh/1000h	6,0	11,1	RGB colour change	-	-	-	551353	

Power consumption: 46mA. Note: Not suitable for general illumination.

Lamp with integrated colour change. 16 pre-set colours, separately selectable and dimmable in 5 stages.
Accessories/Included: IR remote control [incl.], matching battery CR 2025 [excl.]




Powder-coated
Mobile fitting

PLENUM® SWING



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(….)SE up to max. Ø/L: 5,2/17,3 cm		Aluminium/PC	22,5	58,0	3 m	Mains plug: IP-shaped [incl.]	25W max.	anthracite	228995	

page
027



Mobile fitting – sets light effects wherever suits you
Lamp shade: extremely UV-proof polycarbonate
Fitting: powder-coated

ADEGAN



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Head H in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(….)SE up to max. Ø: 5,2 cm		Aluminium/PC	40,0	180,0	31,5	2,5 m	Mains plug: IP-shaped [incl.] Earth spike [excl.]	24W max.	anthracite/white white/white	228965 228961	

page
028-
029


	Recommended accessory	Item no.	Price
	Earth spike, Aluminium anthracite Ø/L: 3/30 cm	228960	

The earth spike is to be screwed into the existing base plate from below.
The fitting can then be fixed on the lawn.

SYLVANIA MINILYNX E27 Energy-saving lamp



	Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
	E27	11W	11kWh/1000h	4,8	9,6	0,06	2700K	600lm	CRI 80	EEC=A	508730	
							4000K		CRI 80		508731	
Power consumption: 85mA												
	E27	15W	15kWh/1000h	4,8	11,2	0,07	2700K	900lm	CRI 80	EEC=A	508740	
							4000K		CRI 80		508741	
Power consumption: 110mA												
	E27	20W	20kWh/1000h	4,8	13,8	0,08	2700K	1200lm	CRI 80	EEC=A	508760	
							4000K		CRI 80		508761	
Power consumption: 150mA												
	E27	23W	23kWh/1000h	4,8	15,0	0,08	2700K	1450lm	CRI 80	EEC=A	508770	
							4000K		CRI 80		508771	
Power consumption: 185mA												


 SLV
 HIGH-
 LIGHT

 Netting weather-proof
 Stainless steel
 Mobile fitting

ADEGAN MANILA TL




230~



IP44

page
030-
031

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade Ø in cm	Shade H in cm	Base Ø in cm	Base H in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/H: 4,8/18 cm		graniet/stainless steel/PE	32,0	61,5	32,0	23,0	18,0	3,0	2,5 m	Mains plug: IP-shaped [incl.]	24W max.	stainless steel/ anthracite	231385	


 SLV
 HIGH-
 LIGHT

 Netting weather-proof
 Stainless steel
 Mobile fitting

ADEGAN MANILA SL



230~



IP44

page
030-
031


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade Ø in cm	Shade H in cm	Base Ø in cm	Base H in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/H: 4,8/18 cm		Granite/ stainless steel/PE	38,5	175,5	38,5	30,5	35,0	5,0	2,5 m	Mains plug: IP-shaped [incl.]	24W max.	stainless steel/ anthracite	231395	

SYLVANIA MINILYNX E27 Energy-saving lamp

230~



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
	11W	11kWh/1000h	4,8	9,6	0,06	2700K	600lm	CRI 80	EEC=A	508730	
						4000K		CRI 80		508731	
Power consumption: 85mA											
	15W	15kWh/1000h	4,8	11,2	0,07	2700K	900lm	CRI 80	EEC=A	508740	
						4000K				508741	
Power consumption: 110mA											
	20W	20kWh/1000h	4,8	13,8	0,08	2700K	1200lm	CRI 80	EEC=A	508760	
						4000K				508761	
Power consumption: 150mA											
	23W	23kWh/1000h	4,8	15,0	0,08	2700K	1450lm	CRI 80	EEC=A	508770	
						4000K				508771	
Power consumption: 185mA											



Steel rusted
Each fitting is unique!


RUSTY SQUARE 40 | 70



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Base W in cm	Base D in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 4,8/13,5 cm	LED	FeCSI steel/ PC	12,0	40,0	12,0	17,0	17,0	11W max.	iron rusted	229420	
				71,0						229421	

page
032

Recommended accessory	Item no.	Price
 Earth spike, steel galvanized product L: 50 cm	229422	
 Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	
For a safe connection in the lamp shaft.		



Steel rusted
Each fitting is unique!

RUSTY SLOT 50 | 80



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 4,8/13,9 cm	LED	FeCSI steel	12,0	50,0	12,0	11W max.	iron rusted	229410	
				80,0				229411	

page
033


Recommended accessory	Item no.	Price
 Earth spike, steel galvanized product L: 48 cm	231230	
 Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	
For a safe connection in the lamp shaft.		

E27 TUBE LED, 4,7W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	4,7W	5kWh/1000h	4,5	13,9	3000K	380lm	CRI 81	EEC=A+	551532	

Power consumption: 40mA. Especially for application in outdoor fittings with limited space for lamps, such as the Rusty range.



SLV HIGH-LIGHT



Natural stone granite, stainless steel

ARROCK ARC GU10




page 034

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Base W in cm	Base D in cm	Note	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51 up to max. Q/L: 5/7,6 cm	LED	Granite/ stainless steel 304	14,0	70,5	7,0	19,0	9,0	Granite is a natural product. Each fitting is unique.	35W max.	salt & pepper	231420	


Recommended accessory	Item no.	Price
 Earth spike, steel galvanized product L: 50 cm	231233	

PHILIPS LED SPOT GU10, Type PowerLED



Socket	Wattage	Energy consumption	Q in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	

Power consumption: 35mA



SLV HIGH-LIGHT




Natural stone granite, stainless steel


ARROCK GRANITE 40 | 70



page 035

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Base W in cm	Base D in cm	Note	Wattage Lamp	Colour	Item no.	Price
E27 / TC(.,.)SE up to max. Q/L: 4,3/11,5 cm	LED	Granite/ stainless steel	12,0	40,0 70,0	12,0	17,0	17,0	Granite is a natural product. Each fitting is unique.	15W max.	salt & pepper	231410 231411	

Recommended accessory	Item no.	Price
 Earth spike, steel galvanized product L: 50 cm	229422	

Recommended accessory	Item no.	Price
 Connection box IP68, plastics, 3-pole, Q/L: 2,7/11,5 cm	228730	

For a safe connection in the lamp shaft.


PHILIPS E27 10W, Type SMD LED



Socket	Wattage	Energy consumption	Q in cm	Length in cm	Weight	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	6W	6kWh/1000h	5,6	10,3	0,08	2700K	470lm	CRI 80	EEC=A+	560160	
	10W	10kWh/1000h	6	11	0,14		806lm			560161	

Power consumption: 40 / 70 mA.

NEW



Stainless steel

BIG NAILS PLUS WALL LIGHT




Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 4,8/14,8 cm		Stainless steel 304/ acrylic glass	7,6	47,0	16,0	23W max.	stainless steel	231622	

page
036

	Recommended accessory	Item no.	Price
	Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	

For a safe connection in the lamp shaft.



Stainless steel

BIG NAILS PLUS 50 | 80



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Base W in cm	Base D in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 4,8/14,8 cm		Stainless steel 304/ acrylic glass	7,6	50,0 80,0	9,0	9,0	23W max.	stainless steel	231602 231612	

page
036

	Recommended accessory	Item no.	Price		Recommended accessory	Item no.	Price
	Earth spike, steel galvanized product L: 50 cm	227922			Connection box IP68, plastics, 3-pole, Ø/L: 2,7/11,5 cm	228730	


For a safe connection in the lamp shaft.

E27 TUBE LED, 4,7W, Type SMD LED




	Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
	E27	4,7W	5kWh/1000h	4,5	13,9	3000K	380lm	CRI 81	EEC=A+	551532	

Power consumption: 40mA. Especially for application in outdoor fittings with limited space for lamps, such as the Rusty range.



NEW MYRA 1 Lamp head




page 037

Socket/ Lamp [excl.]	Material	Length in cm	Width in cm	Height in cm	Head Ø in cm	Head L in cm	Supply line L	Wattage Lamp	Colour	Item no.	Price
GU10 / LED GU10 up to max. Ø/L: 5/5,7 cm	Aluminium	14,0	7,0	30,5	7,0	8,0	3 m	4,5W max.	silver-grey anthracite	233174 233175	

Note: Supply line: open cable end. The fitting's height can be extended by 2 extension rods max.



NEW MYRA 2 Lamp head



page 037

Socket/ Lamp [excl.]	Material	Length in cm	Width in cm	Height in cm	Head Ø in cm	Head L in cm	Supply line L	Wattage Lamp	Colour	Item no.	Price
GU10 / LED GU10 up to max. Ø/L: 5/5,7 cm	Aluminium	25,0	7,0	30,5	7,0	8,0	3 m	4,5W max.	silver-grey anthracite	233184 233185	

Note: Supply line: open cable end. The fitting's height can be extended by 2 extension rods max.


	Recommended accessory	Item no.	Price		Recommended accessory	Item no.	Price		Recommended accessory	Item no.	Price
	Extension rod aluminium Ø/L: 3/31 cm 2 pcs. max. per fitting	233164 silver-grey 233165 anthracite			End piece/earth spike aluminium Ø/L: 3/31 cm	233154 silver-grey 233155 anthracite			Connection box IP68, plastics, 3-pole, Ø/L: 4,1/10 cm	228724	

PHILIPS LED SPOT GU10, Type PowerLED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	

Power consumption: 35mA



NAUTILUS SPIKE




Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head L in cm	Spike L in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51 up to max. length: 5,7 cm	LED	Aluminium	9,5	10,0	17,5	1,5 m	Mains plug: IP safety plug [incl.], Plastics spike [incl.]	35W max.	silver-grey	227418	

page
038-
039




NAUTILUS SPIKE XL



i
Elongated design XL
for longer LED lamps

Socket/ Lamp [excl.]	Material	Head Ø in cm	Head L in cm	Spike L in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / LED GU10 up to max. Ø/L: 5/8,3 cm	Aluminium	9,5	15,5	17,5	1,5 m	Mains plug: IP safety plug [incl.], Plastics spike [incl.]	11W max.	black	227410	

page
038-
039



NAUTILUS SPIKE Stainless steel



i
Stainless steel 316 – extremely weather-proof

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head L in cm	Spike L in cm	Mains cable L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51 up to max. Ø/L: 5/6 cm	LED	Stainless steel 316	9,5	10,5	17,5	1,5 m	Mains plug: IP safety plug [incl.], Plastics spike [incl.]	35W max.	stainless steel brushed	229740	


page
038-
039

LED GU10, 4,3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Power consumption: 39mA



LED OUTDOOR BEAM 10W




page 040


Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Mains cable L	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium/ glass	11,5	13,0	9,0	2 m	LED driver [incl.] Mains plug: IP safety plug [incl.]	12,8W	10W	5700K	750lm	CRI>70	silver-grey	231101	
									3000K				231102	

Note: We recommend floor-mounting the fitting with one earth spike.

Recommended accessory	Item no.	Price
Earth spike, plastics, black Spike L: 17,5 cm	900011	



LED OUTDOOR BEAM 30W





page 040

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Mains cable L	Accessories/ Included	System-leistung	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium/ glass	22,5	20,5	13,0	2 m	LED driver [incl.] Mains plug: IP safety plug [incl.]	35W	30W	5700K	3000lm	CRI 70	silver-grey	231111	
									3000K	2600lm			231112	

Note: We recommend floor-mounting the fitting with two earth spikes.

Recommended accessory	Item no.	Price
Earth spike, plastics, black Spike L: 17,5 cm	900011	




LED OUTDOOR BEAM 50W



page 040

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Mains cable L	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	Aluminium/ glass	28,5	23,5	17,3	2 m	LED driver [incl.] Mains plug: IP safety plug [incl.]	56W	50W	5700K	5100lm	CRI 70	silver-grey	231121	
									3000K	4500lm			231122	

Note: We recommend floor-mounting the fitting with two earth spikes.



DASAR® FLAT LED 230V




page 041

Lamp [incl.]	Material	Ø in cm	Height in cm	Supply line L	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED PowerLED Module	Front stainless steel 304	8,0	5,8	1,5 m	Installation pot [incl.]	4,3W	5000K	150lm	CRI 80	stainless steel brushed	228411	
							3000K	160lm			228412	

Note: Not to be walked on!



Front: stainless steel
Particularly flat design
Premium LED



Can be tilted out
Rotatable

GIMBLE OUT 90



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Tilting height in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GX5,3 / QR-CBC51	QR-C51 / LED	Aluminium/glass	15,0	21,0	12,0 max.	Installation pot [incl.] Transformer [excl.]	35W max.	alu brushed anthracite	228360 228365	

Note: Not to be walked on! When connecting several fittings, please keep the total wattage in mind.

page
042

LED MR16, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU5,3	3,8W	5kWh/1000h	5,0	4,7	2700K	500cd	225lm	CRI 80	EEC=A+	551242	
					3000K					551243	
					4000K					551244	


Power consumption: 520mA. To be operated with a conventional transformer only.

IP44 TRANSFORMER 10VA/12V~, 60VA/12V~, 150 VA/12V~




Description	Accessories/ Included	Primary supply line L in m	Secondary supply line L in m	Length in cm	Width in cm	Height in cm	Weight in kg	Wattage	Item no.	Price
IP44 Transformer	Plug [incl.]	2,0	2,0	5,5	8,0	5,0	0,6	10VA	451010	
				6,0	10,0	6,3	1,3	60VA	227160	
				8,0	11,0	7,5	1,3	150VA	227150	

Note: Further transformer options on request.



Blende: stainless steel 316

DASAR[®] 115 GU10



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / QR-AP51 up to max. Ø/L: 5/6 cm	LED	Aluminium Front stainless steel 316	○	13,0	-	-	16,0	Installation pot [incl.]	35W max.	stainless steel	229320	
			□	-	13,0	13,0					229324	

page
043

PHILIPS LED SPOT GU10, Type PowerLED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	

Power consumption: 35mA



HALL | STAIRWAY

Guide the way for visitors as well as yourself! Here you will find a selection of representative fittings to be wall- and ceiling-mounted for halls, stairs and passages.










Impressive eye-catcher due to 50 cm diameter.



Version	Colour	Item no.	Price
Rotoball 50 E27 / TC(..)SE [excl.]	silver-grey/white	165400	

Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	18W	560151	

ROTOBALL 50

[Please find detailed technical data on page 082.]



[Filmclip]



Puristic design
Free adjustment of the lamp heads

KALU 3



Version	Colour	Item no.	Price
Kalu 3 3x G53 / 4 QR111 [excl.]	black	147270	
	white	147271	
	alu brushed	147276	

Recommended lamp [excl.]	Wattage	Item no.	Price
QR111 2900K, EEC=B	35W ± 50W	545522	

[Please find detailed technical data on page 082.]







Plastra CL-1



Design your home individually!
After priming the fittings can be painted
with wall paint.

Other suitable materials:
Water colours, ceramics paint, acrylic paint,
linseed oil or oil paint, crayons and
airbrush, or even stickers.

EEC=
E-A++

Version	Appli- cation	Colour	Item no.	Price
Plastra CL-1 GU10 / QPAR51 [excl.]	Ceiling	white	148004	
Plastra WL-1 2x GU10 / QPAR51 [excl.]	Wall		148015	

PLASTRA CL-1 | WL-1

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS GU10, LEDspot 3000K, EEC=A+	4W	560084	

[Please find detailed technical data on page 083.]




Plastra WL-1






Enola_B Spot 1



Enola_B Spot 2



With optional black ornament ring.

ENOLA_B



Version	Appli- cation	Colour	Item no.	Price
Enola_B Spot 1 GU10 / QPAR51 [excl.]	wall/ ceiling	white	151821	
		silver-grey/ black	151824	



Version	Appli- cation	Colour	Item no.	Price
Enola_B Spot 2 2x GU10 / QPAR51 [excl.]	wall/ ceiling	white	151831	
		silver-grey/ black	151834	



Version	Appli- cation	Colour	Item no.	Price
Enola_B CL-1 GU10 / QPAR51 [excl.]	ceiling	white	151811	
		silver-grey/ black	151814	



Version	Appli- cation	Colour	Item no.	Price
Enola_B Up-Down 2x GU10 / QPAR51 [excl.]	wall	white	151801	
		silver-grey/ black	151804	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS GU10, SMD LED 2700K, EEC=A+	4,5W	560122	

Recommended accessory [excl.]	Colour	Item no.	Price
Ornament ring for Enola_B range	black	151840	

[Please find detailed technical data on page 084-085.]





Enola_B CL 1



Enola_B Up-Down





SLV
HIGH-
LIGHT


NEW



i

Material bamboo
Slim design

VINCELLI DISPLAY




Version	Colour	Item no.	Price
Vincelli Display SMD LED [incl.]	black/bamboo	156257	

[Please find detailed technical data on page 085.]

SLV
HIGH-
LIGHT



NEW



Dimmable
Premium COB LED




WAVE WALL




Version	Colour	Item no.	Price
Wave Wall LED COB LED (incl.)	black	147820	
	white	147821	
	brass	147823	
	alu brushed	147826	

[Please find detailed technical data on page 085.]




DENA 1 | 2



Version	Colour	Item no.	Price
Dena 1 E14 /  C35 [excl.]	Glass satined alu brushed	147519	
Dena 2 2x E14 /  C35 [excl.]		147529	


	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E14, SMD LED, Candle 2700K, EEC=A+	3W	560222 	

[Please find detailed technical data on page 086.]



Indirect illumination with special shadow effect
Premium LED

AIR INDI 22



Version	Colour	Item no.	Price
Air Indi 22 LED COB LED [incl.]	white	133921	

[Please find detailed technical data on page 086.]


NEW


Lipsy 30 LED



Understated design yet with its size still an eye-catcher



Lipsy 50 LED

LIPSY®
30 | 50 LED


Version	Colour	Item no.	Price
Lipsy® 30 LED LED COB LED [incl.]	white	133733	
Lipsy® 50 LED LED COB LED [incl.]		133753	

[Please find detailed technical data on page 087.]



D-Tect LED



Motion detector with MR technique not visible and integrated in the housing.



D-Tect E27




Motion detector with MR technique not visible and integrated in the housing.



D-TECT LED | E27



Version	Colour	Colour temperature	Item no.	Price
D-Tect LED	Glass	3000K	133710	
SMD LED [incl.]	Glass satined	5700K	133715	



Version	Colour	Item no.	Price
D-Tect E27 E27 / TC(...)SE [excl.]	Glass satined/ metal brushed	133700	

Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, Master Stairway ELT 2700K, EEC=A	15W	508600	

[Please find detailed technical data on page 087.]



Generous adjustment range – individual adjustment of the light cone.

NEW TRIA GU10




Version	Colour	Mounting	Item no.	Price
New Tria round GU10 / \varnothing QPAR51 [excl.]	black	Leaf springs	111710	
		Clip springs	113490	
	white	Leaf springs	111711	
		Clip springs	113510	
	alu brushed	Leaf springs	111716	
		Clip springs	111360	




Version	Colour	Mounting	Item no.	Price
New Tria 1 square GU10 / \varnothing QPAR51 [excl.]	black	Leaf springs	111720	
		Clip springs	113491	
	white	Leaf springs	111721	
		Clip springs	113511	
	alu brushed	Leaf springs	111726	
		Clip springs	111361	




Version	Colour	Mounting	Item no.	Price
New Tria 2 square 2x GU10 / \varnothing QPAR51 [excl.]	black	Clip springs	113492	
	white		113512	
	alu brushed		111362	




Version	Colour	Mounting	Item no.	Price
New Tria 3 square 3x GU10 / \varnothing QPAR51 [excl.]	black	Clip springs	113493	
	white		113513	
	alu brushed		111363	



	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data on page 088.]







Easy installation
thanks to mini plug [incl.]

FRAME CURVE LED



Version	Colour	Colour temperature	Item no.	Price
Frame Curve LED LED PowerLED [incl.]	white	4000K	113290	
		3000K	113292	
	silver-grey	4000K	111290	
		3000K	111292	

8,1/6,9 4,2

Recommended accessory [excl.]	Other	Item no.	Price
Installation pot for Frame Curve LED	W/H/D: 8,4/12,3/6,7 cm	112781	
Flush-mounted frame for Frame Curve LED	W/H: 13,5/13,5 cm	112780	
Multi-way connector for Frame Curve LED	-	111850	
LED driver 3W, 350mA for Frame Curve LED	Socket for mini plug [incl.]	464107	

[Please find detailed technical data on page 089.]




Application of slides possible.
Easy installation
thanks to mini plug [incl.]

FRAME BASIC LED




Version	Colour	Colour temperature	Item no.	Price
Frame Basic LED LED PowerLED [incl.]	white	4000K	113260	
		3000K	113262	
	silver-grey	4000K	111260	
		3000K	111262	



Recommended accessory [excl.]	Other	Item no.	Price
Installation pot for Frame Basic LED	W/H/D : 8,4/12,3/6,7 cm	112781	
Flush-mounted frame for Frame Basic LED	W/H: 13,5/13,5 cm	112780	
Multi-way connector for Frame Basic LED	-	111850	
LED driver 3W, 350mA for Frame Basic LED	Socket for mini plug [incl.]	464107	

[Please find detailed technical data on page 089.]





Impressive eye-catcher due to 50 cm diameter.


ROTOBALL 50



page 064-065

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Canopy Ø in cm	Canopy H in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / TCI (...) SE up to max. Ø: 9,5 cm	LED	Steel/ polyethylene [PE]	50,0	13,0	3,0	Canopy [incl.]	24W max.	silver-grey/white	165400	

PHILIPS MASTER LED E27, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	13W	13kWh/1000h	6,1	12,7	2700K	1055lm	CRI 80	EEC=A+	560150	
Current draw: 69mA.										
E27	18W	18kWh/1000h	6,6	12,3	2700K	1521lm	CRI 80	EEC=A+	560151	
Current draw: 97mA.										



Puristic design
Free adjustment of the lamp heads

KALU 3



page 066-067

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price	
G53 / QR B111	LED	Aluminium	45,0	9,0	19,0	Electronic transformer [incl.]	3x 50W max.	black	147270		
									white	147271	
									alu brushed	147276	

OSRAM HALOSPOT111 Low-pressure halogen



Socket	Wattage	Energy consumption	Ø in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
G53	35W ± 50W	38kWh/1000h	11,1	2900K	22500cd	440lm	CRI 100	6°	EEC=B	545512	
										24°	545522



Design your home individually!
After priming the fitting can be painted with wall paint.
Other suitable materials:
Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.



PLASTRA CL-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51	LED	Plaster/steel	9,0	13,5	9,0	Fine abrasive paper for surface cleaning [incl.]	35W max.	white	148004	

page
068-
069


Note: After priming the fitting can be painted over with wall paint.
Other suitable materials: Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.

PHILIPS LED SPOT GU10, Type PowerLED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price	
	GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	


Current draw: 35mA



Design your home individually!
After priming the fitting can be painted with wall paint.
Other suitable materials:
Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.



PLASTRA WL-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51	LED	Plaster/steel	7,5	24,7	10,0	Fine abrasive paper for surface cleaning [incl.]	2x 35W max.	white	148015	

page
068-
069


Note: After priming the fitting can be painted over with wall paint.
Other suitable materials: Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.

PHILIPS LED SPOT GU10, Type PowerLED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price	
	GU10	4W	4kWh/1000h	5,0	5,5	3000K	600cd	245lm	CRI 80	EEC=A+	560084	

Current draw: 35mA




ENOLA_B SPOT 1




page 070-071

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Height in cm	Width in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / ≤ 4 QPAR51 up to max. length: 8 cm		Aluminium/steel	14,0	14,0	6,7	50W max.	white	151821	
							silver-grey/black	151824	



ENOLA_B SPOT 2



page 070-071

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Height in cm	Width in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / ≤ 4 QPAR51 up to max. length: 8 cm		Aluminium/steel	21,5	14,0	6,7	2x 50W max.	white	151831	
							silver-grey/black	151834	



ENOLA_B CL-1



page 070-071


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / ≤ 4 QPAR51 up to max. length: 8,5 cm		Aluminium	6,7	14,0	35W max.	white	151811	
						silver-grey/black	151814	

Recommended accessory [excl.] [for Enola_B range]	Item no.	Price
 Ornament ring, black, steel Ø/H: 6,4/2,4 cm	151840	

PHILIPS MASTER LED GU10, 4,5W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,5	2700K	780cd	305lm	CRI 80	EEC=A+	560122	

Current draw: 26mA



Ø 6,7

ENOLA_B UP-DOWN



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Depth in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51 up to max. Length: 8,5 cm	LED	Aluminium/Stahl	6,7	22,0	8,5	2x 50W max.	white	151801	
							silver-grey/black	151804	

page
070-
071


Recommended accessory [excl.] [for Enola_B range]	Item no.	Price
Ornament ring, black, steel Ø/H: 6,4/2,4 cm	151840	

PHILIPS MASTER LED GU10, 4,5W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,5	2700K	780cd	305lm	CRI 80	EEC=A+	560122	

Current draw: 26mA



SLV
HIGH-
LIGHT

NEW



Material bamboo
Slim design


VINCELLI DISPLAY



Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	System Wattage	Colour temperature	Luminous flux	Colour rendering	Accessories/ Included	Colour	Item no.	Price
SMD LED	Bamboo/ steel	40,0	4,9	30,1	10,67W	2700K	640lm	CRI 80	LED driver [incl.] Switch [incl.]	black/ bamboo	156257	

Hinweis: Head and arm are individually adjustable.

page
072



SLV
HIGH-
LIGHT

NEW




Dimmable
Premium COB LED

WAVE WALL




Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Canopy W in cm	Canopy H in cm	Canopy D in cm	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Accessories/ Included	Colour	Item no.	Price
COB LED	Aluminium	26,4	6,7	7,8	17,1	5,2	3,0	11,5W	4,6W	3000K	700lm	CRI 80	LED driver [incl.]	black	147820	
														white	147821	
														brass	147823	
														alu brushed	147826	

page
073



DENA 1



page 074


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Weight in kg	Wattage Lamp	Colour	Item no.	Price
E14 / C35 up to max. Ø/L: 5/9,6 cm	QC35/ TC(...)/SE / LED	Aluminium/ glass satined	8,0	20,0	10,0	0,58	40W max.	alu brushed	147519	

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA



DENA 2



page 074


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Weight in kg	Wattage Lamp	Colour	Item no.	Price
E14 / C35 up to max. Ø/L: 5/9,6 cm	QC35/ TC(...)/SE / LED	Aluminium/ glass satined	8,0	30,0	10,0	0,73	2x 40W max.	alu brushed	147529	

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA




AIR INDI 22

Indirect illumination with special shadow effect
Premium LED



page 075

Lamp [incl.]	Material	Ø in cm	Depth in cm	Weight in kg	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Accessories/ Included	Colour	Item no.	Price
COB LED	Stahl	22,0	10,0	0,95	11,3W	9W	3000K	650lm	CRI>80	LED driver [incl.]	white	133921	




Understated design and yet an eye-catcher due to its size.

LIPSY® 30 | 50 LED




Lamp [incl.]	Material	Ø in cm	Height in cm	System Wattage	Number of LEDs	Colour temperature	Luminous flux	Colour rendering	Accessories/Included	Colour	Item no.	Price
SMD LED	plastics/steel	26,0	9,0	13W	30	3000K	1050lm	CRI 80	LED driver [incl.]	white	133733	
		48,5	13,5	30,4W	72		2500lm				133753	

page 076




Motion detector with MR technique not visible and integrated in the housing

D-TECT LED



Lamp [incl.]	Material	Ø in cm	Height in cm	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Accessories/Included	Colour	Item no.	Price
SMD LED	plastics/glass	28,0	10,0	17,8W	15W	3000K	750lm	CRI>80	LED driver [incl.], Motion detector with MR technique [incl.]	Glass satined	133710	
						5700K					133715	

page 077



Motion detector with MR technique not visible and integrated in the housing

D-TECT E27



Socket/Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Accessories/Included	Colour	Item no.	Price
E27 / TC(...)SE up to max. Ø/L: 6,9/12,9 cm		Stahl/ glass satined	29,7	10,2	20W max.	Motion detector with MR technique [incl.]	metal brushed	133700	

Note: We recommend using switch-proof lamps such as Philips-Stairway or LED lamps.

page 077

PHILIPS MASTER STAIRWAY ELT E27 ELT 3-fold energy-saving lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	15W	15kWh/1000h	4,8	12,6	0,08	2700K	850lm	CRI 82	EEC=A	508600	
	20W	20kWh/1000h		13,7	0,09		1230lm			508610	

Can be used with motion detectors. Ignition time: 1 sec., build-up time: 20 sec., mercury content: < 1,41 mg.



Generous adjustment range – individual adjustment of the light cone

NEW TRIA GU10 ROUND | 1 SQUARE Leaf springs



page 078-079

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Adjustment range	Weight	Wattage Lamp	Colour	Item no.	Price
GU10 / \sphericalangle QPAR51	LED	Aluminium	○	9,3	-	-	11,5	360°/30°	0,15	50W max.	black	111710	
							white				111711		
							alu brushed				111716		
							black				111720		
							white				111721		
							alu brushed				111726		
			□	-	9,0	9,0	11,0		0,16				

Material thickness ceiling: 20 mm max.



Generous adjustment range – individual adjustment of the light cone

NEW TRIA GU10 ROUND 1 SQUARE | 2 SQUARE | 3 SQUARE Clip springs



page 078-079

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Installation dimensions in cm	Adjustment range	Weight in kg	Wattage Lamp	Colour	Item no.	Price
GU10 / \sphericalangle QPAR51	LED	Aluminium	○	9,3	-	-	11,0	Ø 7,8	360°/30°	0,15	50W max.	black	113490	
							white	113510						
							alu brushed	111360						
Material thickness ceiling: 18 mm max.														
GU10 / \sphericalangle QPAR51	LED	Aluminium	□	-	9,0	9,0	11,0	Ø 7,8	360°/30°	0,16	50W max.	black	113491	
							white	113511						
							alu brushed	111361						
Material thickness ceiling: 18 mm max.														
GU10 / \sphericalangle QPAR51	LED	Aluminium	□□	-	17,0	9,0	12,0	15,5/7,8	360°/30°	0,35	2x 50W max.	black	113492	
							white	113512						
							alu brushed	111362						
Material thickness ceiling: 30 mm max.														
GU10 / \sphericalangle QPAR51	LED	Aluminium	□□□	-	25,0	9,0	12,0	23,5/7,8	360°/30°	0,50	3x 50W max.	black	113493	
							white	113513						
							alu brushed	111363						
Material thickness ceiling: 30 mm max.														

LED GU10, 4,3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	

Current draw: 39mA

PHILIPS MASTER LED GU10, 5,3W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	5,3W	6kWh/1000h	5	5,5	2700K	950cd	355lm	CRI 80	EEC=A+	560142	
					3000K					560143	
					4000K					560144	

Current draw: 29mA



Easy installation thanks to mini plug [incl.]

FRAME CURVE LED



Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Supply line L in cm	Accessories/Included	Wattage Lamp	Colour temperature	Luminous flux LED	Colour rendering	Colour	Item no.	Price
LED PowerLED	Aluminium	9,0	9,0	4,0	45,0	Mini plug [incl.], LED driver [excl.]	1W	4000K	110lm	CRI>80	white	113290	
											silver-grey	113290	
											white	113292	
											silver-grey	113292	

page
080

Note: To be operated with suitable LED drivers/350mA only. Material thickness cavity wall: 10-25 mm. When connecting several fittings, please keep the total wattage in mind.

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
	Installation pot W/H/D: 8,4/12,3/6,7 cm	112781		Flush-mounted frame W/H: 13,5/13,5	112780
	Multi-way connector	111850		LED driver 3W, 350mA Socket for mini plug [incl.]	464107



Application of slides possible.
Easy installation thanks to mini plug [incl.]

FRAME BASIC LED



Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Supply line L in cm	Accessories/Included	Wattage Lamp	Colour temperature	Luminous flux LED	Colour rendering	Colour	Item no.	Price
LED PowerLED	Aluminium/ glass	9,0	9,0	5,5	30,0	Mini plug [incl.], LED driver [excl.]	1W	4000K	110lm	CRI>80	white	113260	
											silver-grey	113262	
											white	111260	
											silver-grey	111262	

page
081

Note: To be operated with suitable LED drivers/350mA only. Material thickness cavity wall: 10-30 mm. When connecting several fittings, please keep the total wattage in mind.

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
	Installation pot W/H/D: 8,4/12,3/6,7 cm	112781		Flush-mounted frame W/H: 13,5/13,5	112780
	Multi-way connector	111850		LED driver 3W, 350mA Socket for mini plug [incl.]	464107



[156030 | page 101]




LIVING ROOM

The perfect lighting makes your surroundings a home. Get inspired and illuminate your living room with suitable basic and background lighting for wall, ceiling and floor.

Set your furniture in scene or create your own relax zone with the right light.



[155701 | page 098]



[149031 | page 108]







SLV
HIGH-
LIGHT

NEW



Vincelli WL



Material bamboo
Slim design



Vincelli TL



VINCELLI
TL | WL



Version	Colour	Item no.	Price
Vincelli TL LED SMD LED [incl.]	black/ bamboo	156237	
Vincelli WL LED SMD LED [incl.]		156247	

[Please find detailed technical data on page 111.]









Soprana CL-1



Soprana SL-2



Soprana TL-2





SOPRANA Product Family




Version	Colour	Item no.	Price
Soprana CL-1 E27 / A60 [excl.]	Shade white	155372	
	Shade beige	155373	

Version	Colour	Item no.	Price
Soprana TL-2 E27 / A60 [excl.]	Shade white	155352	
	Shade beige	155353	

Version	Colour	Item no.	Price
Soprana SL-2 E27 / A60 [excl.]	Shade white	155362	
	Shade beige	155363	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 112.]



Genuine concrete
Each fitting is unique.



Version	Colour	Item no.	Price
Soprana Solid TL-1 E27 / A60 [excl.]	concrete grey Shade grey-beige	155700	

Recommended Lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

SOPRANA SOLID TL-1

[Please find detailed technical data on page 113.]



Genuine concrete
Stands out with the
lively structure of the
lamp corpus.
Each fitting is unique.

Soprana Solid PD-1



Soprana Solid PD-2




1,5 m EEC=
E-A+

Version	Colour	Item no.	Price
Soprana Solid PD-1 E14 / C35 [excl.]	concrete gray	155710	
Soprana Solid PD-2 with reflector E27 / A60 [excl.]		155711	


	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E14, SMD LED, Candle 2700K, EEC=A+	3W	560222	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

SOPRANA SOLID PD-1 | -2



Genuine concrete
Each fitting is unique.



Version	Colour	Item no.	Price
Soprana Solid TL-2 E27 / A60 [excl.]	concrete grey Shade grey-beige	155701	

SOPRANA SOLID TL-2

Recommended Lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 114.]



Genuine concrete
Stands out with the
lively structure of the
lamp corpus.
Each fitting is unique.

Soprana Solid PD-4



Soprana Solid PD-3



T
O 1,5 m



Version	Colour	Item no.	Price
Soprana Solid PD-4 E27 / A60 [excl.]	concrete grey	155713	
Soprana Solid PD-3 GU10 / QPAR51 [excl.]		155712	

Recommended Lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

Recommended Lamp [excl.]	Wattage	Item no.	Price
PHILIPS GU10, SMD LED 3000K, EEC=A+	5,3W	560143	

SOPRANA SOLID PD-3 | PD-4

[Please find detailed technical data on page 114.]




NEW



Arm elements are individually adjustable.


TENORA FL-1



Version	Colour	Item no.	Price
Tenora FL-1 E27 / \varnothing A60 [excl.]	Shade black	156030	
	Shade white	156031	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 115.]



Adjustable bow length and height
Adjustable lamp head



SOPRANA BOW SL-1



Version	Colour	Item no.	Price
Soprana Bow SL-1 E27 / A60 [excl.]	Shade black	155720	
	Shade white	155723	

Recommended Lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 115.]







SOPRANA TRIPOD SL-1



Version	Colour	Item no.	Price
Soprana Tripod SL-1 E27 / *A60 [excl.]	Shade black	155730	
	Shade white	155733	

Recommended Lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161 	

[Please find detailed technical data on page 116.]





LASSON PD-3

T 1,5 m

EEC= E-A+



Version	Colour	Item no.	Price
Lasson PD-3 3x E27 / Ⓢ A60 [excl.]	Shade black	155300	
	Shade beige	155301	

Recommended Lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161 	

[Please find detailed technical data on page 116.]



SLV
HIGH-LIGHT




Puristic design
Free adjustment of the lamp heads



KALU 1 | 2



Version	Colour	Item no.	Price
Kalu 1 G53 / 4 QRB111 [excl.]	black	147250	
	white	147251	
	alu brushed	147256	
Kalu 2 2x G53 / 4 QRB111 [excl.]	black	147260	
	white	147261	
	alu brushed	147266	

Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS QRB111, PowerLED 2700K, EEC=A	10W	560031	

[Please find detailed technical data on page 117.]








Simple, timeless design



Version	Colour	Item no.	Price
Light Eye Ball GU10 /  OPAR111 [excl.]	chrome/white	149031	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	ES111, PowerLED 2700K, EEC=A	17,5W	551642	

LIGHT EYE BALL

[Please find detailed technical data on page 118.]



GL 101



GL 102 Curve






Design your home individually!
After priming the fittings can be painted with wall paint.



Other suitable materials:
Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.

Version	Colour	Item no.	Price
GL 101 E14 /  C35 [excl.]	Plaster white	148013	
GL 102 Curve R7s 78mm /  QT-DE12 [excl.]		148012	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E14, SMD LED, Candle 2700K, EEC=A+	3W	560222 	

	Recommended Lamp [excl.]	Wattage	Item no.	Price
	PHILIPS R7s, 78 mm 2900K, EEC=D	80W	519231	

[Please find detailed technical data on page 118–119.]

GL 101 GL 102 CURVE



SLV
HIGH-LIGHT

NEW



CONTONE – DIM TO MOOD



The new downlights CONTONE allow you to determine your lighting mood individually. The CONTONE downlights are dimmable between 3000K and 2000K. If you require bright working light (white), start with a luminosity of 3000K. In case you need warmer light for a comfortable mood, dim to 2000K (warmwhite) – dim to mood! All of this stageless and completely flicker-free, just like you're used to from conventional incandescent and halogen lamps. Besides the individual adjustment to utility or mood light the CONTONE downlights convince with their built-in Premium LED chip and a life span of more than 40,000 hours.



Contone rigid undimmed 3000K



Contone adjustable dimmed 2000K



Individual lighting mood:
Light colour changes through dimming
Premium LED
Set: LED driver [incl.]



CONTONE rigid | adjustable



IP44




Version	Shape	Colour	Colour temperature	Item no.	Price
Contone rigid LED COB LED [incl.]	○ □	white	dimmable 3000K-2000K	161291 161301	




Version	Shape	Colour	Colour temperature	Item no.	Price
Contone adjustable LED COB LED [incl.]	○ □	white	dimmable 3000K-2000K	161271 161281	

[Please find detailed technical data on page 119.]



Material bamboo
Slim design


VINCELLI TL



Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Supply line L in m	System Wattage	Colour temperature	Luminous flux	Colour rendering	Accessory/Included	Colour	Item no.	Price
LED SMD LED	bamboo/steel	40,0	25,4	7,0	1,8	10,9W	2700K	600lm	CRI 80	LED driver [incl.] Switch [incl.] Mains plug: Euro [incl.]	black/ bamboo	156237	

Note: Head individually adjustable.

page
092



Material bamboo
Slim design


VINCELLI WL



Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	System Wattage	Colour temperature	Luminous flux	Colour rendering	Accessory/Included	Colour	Item no.	Price
LED SMD LED	bamboo/steel	40,0	4,9	9,9	10,67W	2700K	640lm	CRI 80	LED driver [incl.] Switch [incl.]	black/ bamboo	156247	

Note: Head individually adjustable.

page
092




SOPRANA TL-2



230~

page
094-
095

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Base Ø in cm	Mains cable L in m	Wattage Lamp	Accessory/ Included	Colour	Item no.	Price
E27 / A60 up to max. length: 14,5 cm	QA60 TC(...)/SE / LED	Shade: textile/PS Rod/base: steel	30,0	61,0	24,0	18,0	2,0	60W max.	Switch on mains cable [incl.] Mains plug: Euro [incl.]	metal brushed	Shade white Shade beige	155352 155353




SOPRANA SL-2



230~

page
094-
095

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Base Ø in cm	Mains cable L in m	Wattage Lamp	Accessory/ Included	Colour	Item no.	Price
E27 / A60 up to max. length: 17,5 cm	QA60 TC(...)/SE / LED	Shade: textile/PS Rod/base: steel	40,0	170,0	35,0	28,0	2,0	60W max.	Foot switch in mains cable [incl.] Mains plug: Euro [incl.]	metal brushed	Shade white Shade beige	155362 155363



SOPRANA CL-1



230~

page
094-
095


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Canopy Ø in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 14,5 cm	QA60 TC(...)/SE / LED	Steel/textile/PS Disk: acrylic	50,0	32,0	26,0	15,0	3x 60W max.	Canopy chrome Acrylic glass satined	Shade white Shade beige	155372 155373

PHILIPS E27 10W, Type SMD LED

220-
-240-

Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	6W	6kWh/1000h	5,6	10,3	0,08	2700K	470lm	CRI 80	EEC=A+	560160	
	10W	10kWh/1000h	6	11	0,14		806lm			560161	

Current draw: 40 / 70 mA.



Genuine concrete
Each fitting is unique.

SOPRANA SOLID TL-1




230~



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Basis Ø in cm	Mains cable L in m	Wattage Lamp	Accessory/ Included	Colour	Item no.	Price	
E27 up to max. length: 13 cm	QA60 TC(...)/SE / LED	concrete/ textile	28,5	35,5	18,0	18,0	1,8	40W max.	Switch on mains cable [incl.], Mains plug: Euro [incl.]	concrete grey	Shade grey-beige	155700	

page
096



Genuine concrete
Stands out with the lively structure
of the lamp corpus.
Each fitting is unique.

SOPRANA SOLID PD-2 with Reflector



230~



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 14,5 cm	QA60 TC(...)/SE / LED	Concrete	27,5	26,0	12,0	3,6	60W max.	concrete grey	155711	

page
097


PHILIPS E27 10W, Type SMD LED

220~
-240~



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	6W	6kWh/1000h	5,6	10,3	0,08	2700K	470lm	CRI 80	EEC=A+	560160	
	10W	10kWh/1000h	6	11	0,14		806lm			560161	

Current draw: 40 / 70 mA.



Genuine concrete
Stands out with the lively structure
of the lamp corpus.
Each fitting is unique.

SOPRANA SOLID PD-1



230~



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E14 / C35 up to max. length: 13 cm	QC35/ TC(...)/SE / LED	concrete	15,0	18,5	10,0	2,5	25W max.	concrete grey	155710	

page
097

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED

220~
-240~




7 pcs.



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA



Genuine concrete
Each fitting is unique.

SOPRANA SOLID TL-2




230~



page 098

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Base Ø in cm	Mains cable L in m	Wattage Lamp	Accessory/ Included	Colour	Item no.	Price	
E27 up to max. length: 14,8 cm	QA60 TC(...)/SE / LED	Concrete/ textile	40,0	54,0	22,0	14,0	1,8	40W max.	Switch in mains cable [incl.], Mains plug: Euro [incl.]	concrete grey	Shade grey-beige	155701	



Genuine concrete
Stands out with the lively structure
of the lamp corpus.
Each fitting is unique.

SOPRANA SOLID PD-4



230~



page 099


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 12 cm	QA60 TC(...)/SE / LED	Concrete	14,0	31,0	10,0	2,5	25W max.	concrete grey	155713	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable

220~
-240~

Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Genuine concrete
Stands out with the lively structure
of the lamp corpus.
Each fitting is unique.

SOPRANA SOLID PD-3



230~



page 099


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51	GU10 51mm	Concrete	15,0	19,5	10,0	2,5	25W max.	concrete grey	155712	

PHILIPS MASTER LED GU10, 5,3W, Type SMD LED, dimmable

220~
-240~

Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	5,3W	6kWh/1000h	5	5,5	3000K	950cd	355lm	CRI 80	EEC=A+	560143	

Current draw: 29mA



NEW



Arm elements are individually adjustable.



TENORA FL-1




230~



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Height in cm	Arm L in cm	Shade Ø in cm	Shade H in cm	Base Ø in cm	Base H in cm	Mains cable L in m	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / A60	QA60 TC(...)/SE / LED	Steel/ textile/PS	120,0	50,0	30,0	22,0	25,0	2,5	1,8	Switch on mains cable [incl.], Mains plug: Euro [incl.]	60W max.	chrome	Shade black 156030	
												Shade white 156031		

Note: Arm elements are individually adjustable.

page
100-
101



Adjustable bow length and height
Adjustable lamp head



SOPRANA BOW SL-1



230~



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Shade Ø in cm	Shade H in cm	Base Ø in cm	Base H in cm	Mains cable L in m	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 17,5 cm	QA60 TC(...)/SE / LED	Steel/ textile	180,0	227,0	45,5	28,0	33,5	4,8	2,3	Switch on mains cable [incl.], Mains plug: Euro [incl.]	60W max.	Shade black 155720	155720	
												Shade white 155723	155723	

page
102-
103

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable

220-
240~



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



SOPRANA TRIPOD SL-1



page 104

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Shade Ø in cm	Shade H in cm	Mains cable L in m	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 19 cm	QA60 TC(...)/SE / LED	Rods: steel, chromed Shade: textile	65,0	155,5	45,5	28,5	3,3	Toggle switch on lamp socket [incl.], Mains plug: Euro [incl.]	60W max.	Shade black Shade white	155730 155733	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable





NEW



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



LASSON PD-3



page 105

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. length: 13 cm	QA60 TC(...)/SE / LED	Steel/ textile/acrylic	45,0	25,0	15,0	2,5	3x 60W max.	Canopy nickel brushed/ acrylic satined	Shade black Shade beige	155300 155301

PHILIPS E27 Energy-saving lamp



NEW



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	12W	12kWh/1000h	4,75	9,4	0,05	2700K	741lm	CRI 82	EEC=A	509002	
	15W	15kWh/1000h	5,15	10,75			970lm			509012	
	23W	23kWh/1000h	6,15	11,85			1570lm			509022	

Current draw: 90 / 110 / 170 mA

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




NEW



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Puristic design
Free adjustment of the lamp heads

KALU 1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
G53 / 4 QRB111	LED	Aluminium	15,0	9,0	19,0	Electronic transformer [incl.]	50W max.	black	147250	
								white	147251	
								alu brushed	147256	

page
106-
107

OSRAM HALOSPOT111 Low-pressure halogen




Socket	Ø in cm	Wattage	Colour temperature	Luminosity	Luminous flux	Radiation angle	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G53	11,1	35W ± 50W	2900K	22500cd	440lm	6°	CRI 100	EEC=B	38kWh/1000h	545512	
				4200cd		24°				545522	

PHILIPS LED QRB111, Typ PowerLED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
G53	10W	11kWh/1000h	11,1	5,6	2700K	3360cd	600lm	CRI 80	24°	EEC=A	560031	
						1220cd			40°		560032	
					3000K	3470cd	24°		560033			
						1270cd	40°		560034			

Current draw: 1100mA. Operation with conventional or electronic transformer possible. Please keep the transformer's utilized capacity in mind.



Puristic design
Free adjustment of the lamp heads

KALU 2



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
G53 / 4 QRB111	LED	Aluminium	30,0	9,0	19,0	Electronic transformer [incl.]	2x 50W max.	black	147260	
								white	147261	
								alu brushed	147266	

page
106-
107

OSRAM HALOSPOT111 Low-pressure halogen




Socket	Ø in cm	Wattage	Colour temperature	Luminosity	Luminous flux	Radiation angle	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G53	11,1	35W ± 50W	2900K	22500cd	440lm	6°	CRI 100	EEC=B	38kWh/1000h	545512	
				4200cd		24°				545522	

PHILIPS LED QRB111, Type PowerLED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
G53	10W	11kWh/1000h	11,1	5,6	2700K	3360cd	600lm	CRI 80	24°	EEC=A	560031	
						1220cd			40°		560032	
					3000K	3470cd	24°		560033			
						1270cd	40°		560034			

Current draw: 1100mA. Operation with conventional or electronic transformer possible. Please keep the transformer's utilized capacity in mind.



Simple, timeless design

LIGHT EYE BALL



page 108

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Depth in cm	Canopy B in cm	Canopy H in cm	Canopy T in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR111	LED	Steel	14,5	13,0	17,5	3,5	7,0	3,0	75W max.	chrome/white	149031	

LED ES111, Type PowerLED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
GU10	17,5W	18kWh/1000h	11,1	7,1	2700K	880lm	CRI 80	30°	EEC=A	551642	

Current draw: 78mA. Please note the dimmer's minimum capacity.


ES111 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	50W	50kWh/1000h	11,1	2700K	1000cd	230lm	CRI 100	EEC=E	575652	
	75W	75kWh/1000h			1600cd	430lm			575672	

Reflector alu-coated with shade.

GL 101 E14 Plaster Wall Light



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
E14 / C35 up to max. length: 12 cm	QC35/ TC(...)/SE / LED	Plaster/steel	28,0	13,0	14,0	Fine abrasive paper for surface cleaning [incl.]	40W max.	white	148013	

Note: After priming the fitting can be painted with wall paint.

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA



Design your home individually!
After priming the fitting can be painted with wall paint.
Other suitable materials:
Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.





Design your home individually!
After priming the fitting can be painted with wall paint.
Other suitable materials:
Water colours, ceramics paint, acrylic paint, linseed oil or oil paint, crayons and airbrush, or even stickers.



GL 102 CURVE Plaster Wall Light




Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessory/ Included	Wattage Lamp	Colour	Item no.	Price
R7s 78mm / QT-DE12	Plaster/steel	36,0	6,5	17,0	Fine abrasive paper for surface cleaning [incl.]	100W max.	white	148012	

Note: After priming the fitting can be painted with wall paint.

PHILIPS QT-DE 78 MM PLUSLINE ES Quartz halogen




Socket	Wattage	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
R7s, 78 mm	48W ± 60W	2900K	775lm	CRI 100	EEC=D	48kWh/1000h	519230	
	80W ± 100W		1415lm			80kWh/1000h	519231	




Individual lighting mood:
Light colour changes through dimming
Premium LED
Set: LED driver [incl.]

CONTONE rigid, leaf springs



Lamp [incl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Colour temperature	Luminous flux	Colour rendering	System Wattage	Accessory/ Included	Colour	Item no.	Price
COB LED	Aluminium	○	9,2	-	-	14,0	dimmable 3000K-2000K	890lm	CRI 90	16W	LED driver [incl.]	white	161291	
		□	-	9,2	9,2	161301								

Note: During dimming the light colour changes from 3000K to 2000K and dimming down show the same effect as a filament lamp.
Material thickness cavity ceiling: 25 mm max.



Individual lighting mood:
Light colour changes through dimming
Premium LED
Set: LED driver [incl.]

CONTONE adjustable, leaf springs





Lamp [incl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Colour temperature	Luminous flux	Colour rendering	System Wattage	Accessory/ Included	Colour	Item no.	Price
COB LED	Aluminium	○	9,2	-	-	13,7	dimmable 3000K-2000K	890lm	CRI 90	16W	LED driver [incl.]	white	161271	
		□	-	9,2	9,2	161281								

Note: During dimming the light colour changes from 3000K to 2000K and dimming down show the same effect as a filament lamp.
Material thickness cavity ceiling: 25 mm max.



KITCHEN | DINING AREA

Whether you are looking for powerful lighting for your work space or discreet fittings for the counter and dining area – here you will find decorative designs and installations that meet your lighting requirements.







Installation sample for up to 1 m max.




Installation sample for up to 50W max.




Details Delf C Pro



Details Delf C Pro RGB



DELFC PRO Light Bar



Decorative light bars for kitche base units
Available in different lengths
Delf C RGB Pro: LED light with controlled light colour

*Delf C Pro RGB is suitable for background lighting only.

Version	Colour temperature	Length in cm	Item no.	Price
Delf C 100 Pro SMD LED [incl.]	3000K	10,4	631432	
Delf C 200 Pro SMD LED [incl.]	3000K	20,4	631442	
Delf C 500 Pro SMD LED [incl.]	5700K	50,4	631451	
	3000K		631452	
Delf C 500 RGB Pro SMD LED [incl.]	RGB Deco Light*	50,4	631453	
Delf C 1000 Pro SMD LED [incl.]	5700K	100,4	631461	
	3000K		631462	
Delf C 1000 RGB Pro SMD LED [incl.]	RGB Deco Light*	100,4	631463	
Delf C 1200 Pro SMD LED [incl.]	3000K	120,4	631482	

Mounting accessories [excl.]	Item no.	Price
Feed-in cable for Delf C Pro	631470	
Flex connector for Delf C Pro	631471	
Mounting clips for Delf C Pro	631472	
Mounting clips for Delf C Pro	631475	

Mounting accessories [excl.]	Item no.	Price
Feed-in cable for Delf C RGB Pro	631473	
Flex connector for Delf C RGB Pro	631474	
Mounting clips for Delf C RGB Pro	631472	
Mounting clips for Delf C RGB Pro	631475	

Recommended connection [excl.]	Item no.	Price
LED power supply unit 12W, 24V= for Delf C Pro	470502	
Power LIM#2 RGB master control for Delf C RGB Pro	470581	
Power LIM#2 RGB slave control for Delf C RGB Pro	470582	
Remote control for Power LIM#2 master control	470520	

[Please find detailed technical data on page 139.]




Fitting in current trend colours
Range from small to big - matches every ambience

PARA CONE 20 | 30 | 40

T 1,5 m EEC= E-A+



Version	Colour	Item no.	Price
Para Cone 20 E27 / A60 [excl.]	black high-gloss	133000	
	white high-gloss	133001	
	alu brushed	133005	
	copper brushed	133009	
	black/gold	133050	




Version	Colour	Item no.	Price
Para Cone 30 E27 / A60 [excl.]	black high-gloss	133010	
	white high-gloss	133011	
	alu brushed	133015	
	copper brushed	133019	
	black/gold	133060	



Version	Colour	Item no.	Price
Para Cone 40 E27 / A60 [excl.]	black high-gloss	155470	
	white high-gloss	155471	
	alu brushed	155475	
	copper brushed	155479	
	black/gold	133070	



Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 140.]








Geometrical basic shape creates timeless design
Always an eye-catcher, installed separately or in combination
In current trend colours

ENOLA

1,5 m EEC= E-A+



Version	Colour	Item no.	Price
Enola E27 / A60 [excl.]	white	149381	
	alu brushed	149385	
	red	149386	NEW
	gold	149387	NEW
	black	149388	NEW

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	NEW

[Please find detailed technical data on page 141.]



High luminous flux: 1200lm
Highly efficient LED reflector
Premium LED



LEFA 4



T
1,5 m



Version	Colour	Dimmability	Item no.	Price
Lefa 4		not dimmable	157821	
LED COB LED [incl.]	white	dimmable with trailing-edge phase dimmer	157831	




[Please find detailed technical data on page 141.]

SLV
HIGH-
LIGHT

NEW



Material bamboo
Slim design



VINCELLI PD

Version	Colour	Item no.	Price
Vincelli PD LED SMD LED [incl.]	black/ bamboo	156227	

[Please find detailed technical data on page 141.]



Premium LED




SAVONA PD-1



1,5 m

EEC= A-A++



Version	Colour	Item no.	Price
Savona PD-1 LED COB LED [incl.]	silver-grey/acrylic Canopy: chrome	157810	

[Please find detailed technical data on page 142.]


NEW



TRIADEM

T 1,5 m


EEC= A-A+



Version	Colour	Item no.	Price
Triadem E27 / A60 [excl.]	chrome/black	155870	
	chrome/white	155871	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 142.]



TENORA PD-1



Version	Colour	Item no.	Price
Tenora PD-1 E27 / \varnothing A60 [excl.]	black	156060	
	white	156061	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 142.]



Hand-made – each fitting is unique
 Inside optionally gold or silver
 Particularly warm light due to gold reflector
 (version inside gold)

FORCHINI PD-1 | 2

1,5 m

EEC+
E-A+



Version	Colour	Item no.	Price
Forchini PD-1 Ø 50 cm E27 / ⌀ A60 [excl.]	black/silver	155520	
	black/gold	155530	
	white/silver	155521	
	white/gold	155531	
Forchini PD-2 Ø 38 cm E27 / ⌀ A60 [excl.]	black/silver	155500	
	black/gold	155510	
	white/silver	155501	
	white/gold	155511	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161 	

[Please find detailed technical data on page 143.]

SLV
HIGH-
LIGHT



i

With integrated wave reflector
Warm light due to gold reflector

FORCHINI M

for 1-Circuit-Track

1,5 m



Version	Colour	Item no.	Price
Forchini M E27 / A60 [excl.]	Shade white/gold	Adapter silver-grey	143931
	Shade black/gold	Adapter silver-grey	143930
		Adapter black	143932

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	


[Please find detailed technical data and basic components on pages 144 and 147.]



Discreet lighting in textile shade appearance

SOPRANA PD-3 for 1-Circuit-Track

1,5 m



Version	Colour	Item no.	Price
Soprana PD-3 E27 / A60 [excl.]	Shade white	Adapter white	143911
		Adapter silver-grey	143914
	Shade beige	Adapter white	143921
		Adapter silver-grey	143924

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data and basic components on pages 144 and 147.]





PARA CONE 14

for 1-Circuit-Track

T
O 1,5 m



Version	Colour		Item no.	Price
Para Cone 14 GU10 / CPARS1 [excl.]	Shade black/gold	Adapter black	143990	
	Shade white/gold	Adapter white	143991	



	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data and basic components on pages 145 and 147.]

1-CIRCUIT HIGH-VOLTAGE SET

incl. 3x Puri Lamp Head
and 3x LED GU10 Lamp


← ↑



Set

Version	Colour	Item no.	Price
1-Circuit High-Voltage Set 2x 1m high-voltage track [143011/-2] 1x long connector [143101/-2] 1x 2 end caps [143131/-2] 3x lamp head PURI [143391/-2]	white	143191	
3x LED GU10 lamp [551252] 3x ornament ring for GU10	silver-grey	143194	

[Please find detailed technical data and basic components on pages 145 and 147.]








PURI Lamp Head for 1-Circuit-Track



Version	Colour	Item no.	Price
Puri GU10 / ϵQ PAR51 [excl.]	black	143390 NEW	
	white	143391	
	silver-grey	143392	


Recommended lamp [excl.]	Wattage	Item no.	Price
 GU10, COB LED 3000K, EEC=A+	5,6W	551332	

[Please find detailed technical data and basic components on pages 146 and 147.]

PURIA Lamp Head for 1-Circuit-Track



Version	Colour	Item no.	Price
Puria GU10 / ϵQ PAR51 [excl.]	black	143450 NEW	
	white	143451	
	silver-grey	143454	


Recommended lamp [excl.]	Wattage	Item no.	Price
 GU10, COB LED 3000K, EEC=A+	5,6W	551332	

[Please find detailed technical data and basic components on pages 146 and 147.]



Premium LED

DEBASTO Lamp Head for 1-Circuit-Track



Version	Colour	Item no.	Price
Debasto  COB LED [incl.]	black	143570	
	white	143571	
	silver-grey	143574	

[Please find detailed technical data and basic components on pages 146 and 147.]


NEW



Decorative light bars for kitchen base units
Available in different lengths

DELFC PRO

100 | 200 | 500 | 1000 | 1200 Light Bars



Lamp [incl.]	Description	LED Colour	Wattage in W	LED Intervals in cm	LEDs per Bar	Luminous flux	Colour rendering	Length in cm	Width in cm	Height in cm	Weight in kg	Item no.	Price
SMD LED	Delf C 100 Pro	3000K	1,2	1,1	6	80lm	CRI 80	10,4	2,0	1,5	0,02	631432	NEW
	Delf C 200 Pro		2,1		12	150lm		20,4			0,04	631442	
	Delf C 500 Pro	5000K	4,9		30	450lm		50,4			0,12	631451	
		3000K										631452	
	Delf C 1000 Pro	5000K	11,6		60	900lm		100,4			0,23	631461	
		3000K										631462	
	Delf C 1200 Pro	3000K	12,5		72	1050lm		120,4			0,24	631482	NEW

page 122-123

Material: Aluminium anodised/plastics, Accessories/Included: Power supply unit [excl.]

Note: For a wattage >50W a new feed-in is required! When connection several light bars, please keep the total wattage in mind! Further power supply unit options on request.

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
Feed-in cable 50W max. Cable L: 1,5 m	631470		Flex connector 50W max. Cable L: 12 cm	631471		Mounting clips 10 pcs.	631472	
Mounting clips 45° angle 10 pcs.	631475		LED power supply unit 12W, 24V=	470502				



Decorative light bars for kitchen base units
Available in different lengths
LED light with controlled light colour

DELFC RGB PRO

500 | 1000 Light Bars



Lamp [incl.]	Description	LED Colour	Wattage in W	LED intervals in cm	LEDs per bar	Length in cm	Width in cm	Height in cm	Weight in cm	Item no.	Price
3in1 SMD LED	Delf C 500 RGB Pro	RGB	7,5	1,1	30	50,0	2,0	1,5	0,12	631453	
	Delf C 1000 RGB Pro		14,6		60	100,0			0,23	631463	


page 122-123

Material: Aluminium anodised/plastics, Accessories/Included: Power supply unit, controller [excl.]

Note: Direct connection via plug contacts. For a wattage >50W a new feed-in is required!


When connection several light bars, please keep the total wattage in mind! Further power supply unit options on request. Not suitable for general illumination.

Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price	Recommended accessory	Item no.	Price
Feed-in cable 50W max. Cable L: 1,5 m	631473		Flex connector 50W max. Cable L: 12 cm	631474		Mounting clips 10 pcs.	631472	
Mounting clips 45° angle 10 pcs.	631475		Power LIM®2 RGB Master control 60W max., 24V=	470581		Power LIM®2 RGB Slave control 60W max., 24V=	470582	
Remote control for LIM®2 master control	470520							



NEW
i

 Fitting in current trend colours
 Range from small to big - matches every ambience

PARA CONE 20



 page
124-
125

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60	QA60 TC(...)/SE / LED	steel/ aluminium	20,0	20,5	10,0	2,0	60W max.	black high-gloss	133000	
								white high-gloss	133001	
								alu brushed	133005	
								copper brushed	133009	
								black/gold	133050	
		steel								
		steel/aluminium								




NEW
i

 Fitting in current trend colours
 Range from small to big - matches every ambience

PARA CONE 30



 page
124-
125

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60	QA60 TC(...)/SE / LED	steel/ aluminium	30,0	31,0	12,0	2,0	60W max.	black high-gloss	133010	
								white high-gloss	133011	
								alu brushed	133015	
								copper brushed	133019	
								black/gold	133060	
		steel								
		steel/aluminium								


i

 Fitting in current trend colours
 Range from small to big - matches every ambience

PARA CONE 40


 page
124-
125


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60	QA60 TC(...)/SE / LED	steel/ aluminium	40,0	37,0	12,0	2,0	60W max.	black high-gloss	155470	
								white high-gloss	155471	
								alu brushed	155475	NEW
								copper brushed	155479	NEW
								black/gold	133070	NEW
		steel								
		steel/aluminium								

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable


NEW


Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Geometrical basic shape creates timeless design
Always an eye-catcher, installed separately or in combination
In current trend colours



ENOLA

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price
E27 / A60 up to max. Ø/L: 9/18 cm	 QA60 TC(L)SE / LED PAR20 / PAR30 QPAR20 / QPAR30	aluminium/steel	10,0	32,0	13,0	3,0	60W max.	Canopy [incl.]	white	149381	
									alu brushed	149385	
									red	149386	NEW
									gold	149387	NEW
									black	149388	NEW


page
126-
127

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.




High luminous flux: 1200lm
Highly efficient LED reflector
Premium LED

LEFA 4



Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	aluminium/ plastics	120,0	12,0	3,5	26,9	6,0	5,1	LED driver [incl.]	24,4W	3000K	1200lm	CRI 82	white	not dimmable	157821
														dimmable	157831

page
128




Material bamboo
Slim design

VINCELLI PD



Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED SMD LED	bamboo/ steel	119,0	3,5	3,0	40,0	4,9	5,9	LED driver [incl.]	27,16W	2700K	1630lm	CRI 80	black/ bamboo	156227	

page
129




Premium LED

SAVONA PD-1




page 130

Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Accessories/Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED COB LED	aluminium/ acrylic	100,0	9,0	2,0	35,0	7,5	3,8	LED driver [incl.]	19,7W	6x 3W	3000K	630lm	CRI>80	silver-grey/acrylic Canopy: chrome	157810	



NEW

TRIADEM



page 131

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Shade L in cm	Shade W in cm	Shade H in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. Ø/L: 11,5/14	QA60 TC(...)/SE / LED	steel/ textile/PS	118,0	15,5	23,5	28,0	15,5	19,0	65,0	5,0	3,0	3x 60W max.	chrome Shade black Shade white	155870 155871	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




NEW




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



NEW

TENORA PD-1



page 132

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60	QA60 TC(...)/SE / LED	steel/ textile/PS	50,0	30,0	13,0	2,5	3x 60W max.	Canopy chrome Shade black Shade white	156060 156061	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




NEW



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Hand-made – each fitting is unique
Inside optionally gold or silver
Particularly warm light due to gold reflector
(version inside gold)

FORCHINI PD-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price	
E27 / A60 up to max. length: 20 cm	QA60 TC(...)/SE / LED	steel/ glass fibre reinforced plastics textile cable in housing colour	50,0	25,5	11,0	2,0	40W max.	Canopy chrome [incl.]	black/chrome	inside silver	155520	
										inside gold	155530	
									white/chrome	inside silver	155521	
										inside gold	155531	


page
133

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Hand-made – each fitting is unique
Inside optionally gold or silver
Particularly warm light due to gold reflector
(version inside gold)

FORCHINI PD-2



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price	
E27 / A60 up to max. length: 14 cm	QA60 TC(...)/SE / LED	steel/ glass fibre reinforced plastics textile cable in housing colour	38,0	19,0	11,0	2,0	40W max.	Canopy chrome [incl.]	black/chrome	inside silver	155500	
										inside gold	155510	
									white/chrome	inside silver	155501	
										inside gold	155511	


page
133

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



With integrated wave reflector
Warm light due to gold reflector

FORCHINI M for 1-Circuit-Track



page 134


Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Note	Colour	Item no.	Price
E27 / A60 upt to max. Ø/L: 6,8/15,2 cm	QA60 TC(...)/SE / LED	steel/aluminium	40,0	20,0	40W max.	With integrated wave reflector	Shade white/gold	Adapter silver-grey	143931
							Shade black/gold	Adapter silver-grey	143930
							Adapter black	143932	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



Discreet lighting in textile shade appearance

SOPRANA PD-3 for 1-Circuit-Track



page 135

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 upt to max. length: 14,5 cm	QA60 TC(...)/SE / LED	steel/textile/PS	15,5	40,0	40W max.	Adapter white	Shade white	143911
							Shade beige	143921
						Adapter silver-grey	Shade white	143914
							Shade beige	143924

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	

Current draw: 70mA.



NEW

PARA CONE 14 for 1-Circuit-Track



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Colour		Item no.	Price
						Shade black/gold	Adapter black		
GU10 / QPAR51	LED GU10 51mm	steel	13,3	14	35W max.	Shade white/gold	Adapter white	143991	
						Shade black/gold	Adapter black	143990	

page
136

GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
						750cd	150lm				
GU10	25W	25kWh/1000h	5,0	5,5	2800K	1200cd	280lm	CRI 100	EEC=D	575360	
	35W	35kWh/1000h				575370					

LED GU10, 5,6W, Typ COB LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour rendering	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
					5000K	395cd	380lm	CRI 80				
					3000K	385cd	370lm					
GU10	5,6W	6kWh/1000h	5,0	5,7	Current draw: 47mA			30°	EEC=A+	551331		
							60°	551332				



i
Set

1-CIRCUIT HIGH-VOLTAGE SET

incl. 3x PURI Lamp Head and LED Lamp



Socket/ Lamp [incl.]	Set consists of	Wattage Lamp	Colour	Item no.	Price
			white		
GU10 / LED GU10 51 mm	2x 1m high-voltage track [143011/-2], 1x long connector [143101/-2], 1x 2 end caps [143131/-2], 3x lamp head PURI [143391/-2], 3x LED GU10 lamp [551252], 3x ornament ring for GU10	4W	white	143191	
			silver-grey	143194	


Note: Detailed data on lamp head PURI see below. Detailed data on the basic components see page 117.

page
136


LED GU10, 4,3W, Type SMD LED [incl.]



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.
						530cd	245lm			
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	Current draw: 39mA		CRI 80	EEC=A+	551252



PURI for 1-Circuit-Track



page 138

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Head Ø in cm	Head L in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51	QPAR111 / QPAR64 / LED	aluminium/plastics	8,0	3,5	9,0	3,5	3,5	50W max.	black	143390 NEW	
									white	143391	
									silver-grey	143392	

GU10 Quartz halogen




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	25W	25kWh/1000h	5,0	5,5	2800K	750cd	150lm	CRI 100	EEC=D	575360	
	35W	35kWh/1000h				1200cd	280lm			575370	

LED GU10, 4,3W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour rendering	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
GU10	5,6W	6kWh/1000h	5,0	5,7	5000K	395cd	380lm	CRI 80	60°	EEC=A+	551331	
					3000K	385cd	370lm				551332	

Current draw: 47mA



PURIA for 1-Circuit-Track



page 138


Socket/ Lamp [excl.]	Material	Length in cm	Height in cm	Head Ø in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51	aluminium/glass satined	12,5	10,9	6,4	50W max.	Glass black satined	black	143450 NEW
						Glass satined	white	143451
							silver-grey	143454

GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	25W	25kWh/1000h	5,0	5,5	2800K	750cd	150lm	CRI 100	EEC=D	575360	
	35W	35kWh/1000h				1200cd	280lm			575370	

LED GU10, 4,3W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour rendering	Luminosity	Luminous flux	Colour rendering	Radiation angle	Energy efficiency class	Item no.	Price
GU10	5,6W	6kWh/1000h	5,0	5,7	5000K	395cd	380lm	CRI 80	60°	EEC=A+	551331	
					3000K	385cd	370lm				551332	

Current draw: 47mA



DEBASTO for 1-Circuit-Track



Lamp [incl.]	Material	Visible Height in cm	Head Ø in cm	Head L in cm	System Wattage	Colour temperature	Luminous flux	Colour rendering	Accessories/Included	Colour	Item no.	Price
COB LED	aluminium	12	6,2	9,2	8W	3000K	360lm	CRI 80	LED driver [incl.]	black	143570	
										white	143571	
										silver-grey	143574	

page 138

BASIC COMPONENTS 1-Circuit High-Voltage Track System

1-CIRCUIT-TRACK 1 m | 2 m



Length in cm	Width in cm	Height in cm	Note	Colour	Item no.	Price
100,0	3,5	1,8	Conductor diameter: 4 mm ²	black	143010	
200,0				white	143011	
	silver-grey	143012				
black	143020					
white	143021					
silver-grey	143022					

FEED-IN 1 | 2



Length in cm	Height in cm	Total L in cm	Version	Colour	Item no.	Price
3,5	1,8	10,5	1 earth left	black	143030	
				white	143031	
				silver-grey	143032	
			2 earth right	black	143040	
				white	143041	
				silver-grey	143042	

CORNER CONNECTOR 1 | 2



Length in cm	Height in cm	Total L in cm	Note	Version	Colour	Item no.	Price
6,5	1,8	10,5	With feed-in option.	1 earth outside	black	143050	
					white	143051	
					silver-grey	143052	
				2 earth inside	black	143060	
					white	143061	
					silver-grey	143062	

LONG CONNECTOR electrical



Length in cm	Height in cm	Colour	Item no.	Price
3,5	0,4	black	143090	
		white	143091	
		silver-grey	143092	

LONG CONNECTOR with feed-in option



Length in cm	Height in cm	Total L in cm	Colour	Item no.	Price
3,5	1,8	17,5	black	143100	
			white	143101	
			silver-grey	143102	

T-CONNECTOR 1 | 2



Length in cm	Height in cm	Total L in cm	Note	Version	Colour	Item no.	Price
9,5	1,8	17,2	With feed-in option.	1 earth left	black	143070	
					white	143071	
					silver-grey	143072	
				2 earth right	black	143080	
					white	143081	
					silver-grey	143082	

CEILING SUSPENSION



Foot Ø in cm	Foot H in cm	Note	Colour	Item no.	Price
0,4	3,5	Mechanical load max. 6 kg	black	143140	
			white	143141	
			silver-grey	143142	

STABILIZER long connector, long

Length in cm	Width in cm	Height in cm	Colour	Item no.	Price
19,7	3,2	1,3	nickel matt	143151	

END CAPS



Length in cm	Width in cm	Height in cm	Colour	Item no.	Price
0,4	3,5	1,8	black/2 pcs.	143130	
			white/2 pcs.	143131	
			silver-grey/2 pcs.	143132	

For reinforcing when installing several tracks with ceiling suspension [143141/-2].



BATHROOM | GUEST BATHROOM

With decorative lighting for relaxing hours, mirror lights for a clear view and recessed fittings for basic illumination you will certainly find a good solution to make your bathroom a wellness zone.






i

General adjustment range –
individual and selective direction of the light cone
Premium LED
Set: LED driver [incl.]

NEW TRIA DL SET

incl. LED and driver



Version	Shape	Colour temperature	Colour	Item no.	Price	
New Tria DL, Set LED COB LED with heat sink and LED driver for 230V- [incl.]	○	3000K	white	113901		
			alu brushed	113906		
		2700K	white	113871	NEW	
			alu brushed	113876	NEW	
	□	3000K	white	113911		
			alu brushed	113916		
2700K	white	113881	NEW			
	alu brushed	113886	NEW			

[Please find detailed technical data on page 158.]





Horn GU10
black



Horn 2 Turno GU10
black




HORN



Version	Colour	Item no.	Price
Horn GU10 GU10 / QPAR51 [excl.]	black	112910	
	white	112911	



Version	Colour	Item no.	Price
Horn 2 Turno GU10 2x GU10 / QPAR51 [excl.]	black	113110	
	white	113111	




	Recommended lamp [excl.]	Wattage	Item no.	Price
	GU10, SMD LED 2700K, EEC=A+	4,3W	551252	

[Please find detailed technical data on page 158.]



SLV
HIGH-
LIGHT



L-Line 60



L-Line 120




Electronic ballast -
quickstart



(for downwards-directed
light emission only)

L-LINE
60 | 120



Version	Colour	Item no.	Price
L-Line 60 G5 / → T16 [excl.], 24W	silver-grey	157414	
L-Line 120 G5 / → T16 [excl.], 28W		157424	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A	24W	548024	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A+	28W	548028	

[Please find detailed technical data on page 159.]



Electronic ballast - quickstart



Arlina T5 24



Arlina T5 28



Electronic ballast - quickstart



Version	Colour	Item no.	Price
Arlina T5 24 G5 / T16 [excl.], 24W	Glass satined/ alu brushed	155206	
Arlina T5 28 G5 / T16 [excl.], 28W		155216	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A	24W	548024	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A+	28W	548028	



ARLINA T5 24 | 28



SLV
HIGH-
LIGHT



Q-LINE WALL



Version	Colour	Item no.	Price
Q-Line Wall G5 / → T16 [excl.]	white/chrome	155001	
	alu/anthracite	155002	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A+	35W	548035	

[Please find detailed technical data on page 159.]




Flat 121



Flat 221



Fitting used as furniture draws attention
Electronic ballast - quickstart
Application of coloured T16 lamp possible



Version	Colour	Item no.	Price
Flat 121 G5 / — T16 [excl.]	alu/ Glass satined	157192	
Flat 221 G5 / — T16 [excl.]		157202	

Recommended lamp [excl.]	Wattage	Item no.	Price
G5 3000K, EEC=A+	21W	548021	

FLAT 121 | 221



Energy-saving



CAMARA



Version	Colour	Item no.	Price
Camara IP44 E14 / C35 [excl.]	Glass satined/ chrome	147532	
Camara Double IP44 2x E14 / C35 [excl.]		147542	

	Recommended lamp [excl.]	Wattage	Item no.	Price
	PHILIPS E14, SMD LED, Candle 2700K, EEC=A+	3W	560222	



[Please find detailed technical data on page 161.]




DEVIN DOUBLE



Version	Colour	Item no.	Price
Devin Double 2x E14 / «TC(...)SE [excl.]	chrome/white	151552	


Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E14, SMD LED, Candle 2700K, EEC=A+	3W	560222 	

[Please find detailed technical data on page 161.]



General adjustment range – individual and selective direction of the light cone
Premium LED
Set: LED driver [incl.]


NEW TRIA DL, SET Clip springs




page 150

Lamp [incl.]	Material	Shape	Ø in cm	Length in cm	Width in cm	Height in cm	Colour temperature	Luminous flux	Colour rendering	System Wattage	Accessories/ Included	Colour	Item no.	Price
LED COB LED	aluminium/ plastics	○	9,3	-	-	4,8	3000K	525lm	CRI>=80	9,1W	LED driver [incl.]	white	113901	
							2700K					alu brushed	113906	
							3000K					white	113871	NEW
		□	-	9,0	9,0		white					113911		
							3000K					alu brushed	113916	
							2700K					white	113881	NEW
											alu brushed	113886	NEW	

Material thickness ceiling: 20 mm max.




HORN GU10 Clip springs




page 151

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \llcorner QPAR51	LED	steel	8,3	11,5	50W max.	black	112910	NEW
						white	112911	




HORN 2 TURNO GU10 Clip springs



page 151

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Length in cm	Width in cm	Height in cm	Front H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \llcorner QPAR51	LED	aluminium/steel	18,3	11,3	10,0	0,09	2x 50W max.	black	113110	NEW
								white	113111	

LED GU10, 4,3W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,3W	5kWh/1000h	5,0	5,4	2700K	530cd	245lm	CRI 80	EEC=A+	551252	


Current draw: 39mA

PHILIPS MASTER LED GU10, 5,3W, Typ SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	5,3W	6kWh/1000h	5	5,5	2700K	950cd	355lm	CRI 80	EEC=A+	560142	
					3000K					560143	
					4000K					560144	

Current draw: 29mA




SLV HIGH-LIGHT

Electronic ballast - quickstart




(for downwards-directed light emission only)

L-LINE 60 | 120



Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Weight in kg	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium/PC	60,0	7,0	7,0	1,0	Electronic ballast [incl.]	24W	silver-grey	157414	
		120,0			2,3		28W		157424	

Note: Mechanical load 3 kg max.



SLV HIGH-LIGHT

Electronic ballast - quickstart

ARLINA T5 24 | 28



Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Weight in kg	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium/glass	67,0	6,0	6,5	2,2	Electronic ballast [incl.]	24W	Glass satined/ alu brushed	155206	
		128,0		7,5	3,8		28W		155216	


Note: Please note that this fitting is not to be used as a shelf.

T5 Energy-saving Lamp




Socket	Ø in cm	Length in cm	Wattage	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G5	1,6	55,0	24W	3000K	1750lm	CRI 85	EEC=A	26kWh/1000h	548024	
				4000K	1950lm				548124	
		115,0	28W	3000K	2600lm		EEC=A+		548028	
				4000K	2900lm				548128	

Packaging unit: 10 pcs. [Packagings of 3 possible without extra costs. Please contact our sales department.]



SLV HIGH-LIGHT



Q-LINE WALL





Socket/ Lamp (excl.)	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium anodised Diffusor acrylic	151,0	5,7	10,2	Electronic ballast [incl.]	35W	white/chrome	155001	
							alu/anthracite	155002	

T5 Energy-saving Lamp



Socket	Ø in cm	Length in cm	Wattage	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G5	1,6	145,0	35W	3000K	3300lm	CRI 85	EEC=A+	38kWh/1000h	548035	
				4000K					548135	


Packaging unit: 10 pcs. [Packagings of 3 possible without extra costs. Please contact our sales department.]


 SLV
 HIGH-LIGHT


i

 Fitting used as furniture draws attention
 Electronic ballast - quickstart
 Application of coloured T16 lamp possible

FLAT 121


 page
 155

Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium/glass satined	91,0	5,0	10,0	Electronic ballast [incl.]	21W	alu	157192	



Note: Mechanical load: 15 kg max.

T5 Energy-saving Lamp



Socket	Ø in cm	Length in cm	Wattage	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G5	1,6	85,0	21W	3000K	1900lm	CRI 85	EEC=A+	23kWh/1000h	548021	
				4000K					548121	


Packaging unit: 10 pcs. [Packagings of 3 possible without extra costs. Please contact our sales department.]


 SLV
 HIGH-LIGHT


i

 Fitting used as furniture draws attention
 Electronic ballast - quickstart
 Application of coloured T16 lamp possible

FLAT 221


 page
 155

Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium/glass satined	91,0	5,0	22,0	Electronic ballast (incl.)	2x 21W	alu	157202	


Note: Mechanical load: 10 kg max. The application of T5 lamps is possible

T5 Energy-saving Lamp








Socket	Ø in cm	Length in cm	Wattage	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Energy consumption	Item no.	Price
G5	1,6	85,0	21W	3000K	1900lm	CRI 85	EEC=A+	23kWh/1000h	548021	
				4000K					548121	

Packaging unit: 10 pcs. [Packagings of 3 possible without extra costs. Please contact our sales department.]



CAMARA IP44 | CAMARA DOUBLE IP44

EEC= E-A+ 230~  IP44 

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Wattage Lamp	Weight in kg	Colour	Item no.	Price
E14 /  C35 up to max. Ø/L: 3,8/11,8 cm	 QC35 /  TCC-SE / 	aluminium/ glass	7,0	20,5	9,0	60W max.	0,58	Glass satined/ chrome	147532	
				39,0		2x 60W max.	0,9		147542	

page
156

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED



220~
-240~  7 pcs.    



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA



DEVIN DOUBLE

EEC= A-A+ 230~  IP44 

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Height in cm	Depth in cm	Glass Ø in cm	Glass H in cm	Canopy W in cm	Canopy H in cm	Canopy D in cm	Wattage Lamp	Weight in kg	Colour	Item no.	Price
E14 /  TCC (...) SE up to max. Ø/L: 4/14 cm		steel/ glass	46,5	9,5	6,5	16,0	4,5	14,5	2,0	11W max. 2x 11W max.	1,23	Glass satined/ chrome	151552	

page
157

PHILIPS COREPRO LED CANDLE E14, 3W, Type COB LED

220~
-240~  7 pcs.    



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E14	3W	3kWh/1000h	3,7	11,3	2700K	250lm	CRI 80	EEC=A+	560222	

Current draw: 30mA



BEDROOM

Good lighting is indispensable for feeling well in your bedroom. Our fittings range from decorative light sources for relaxing light and reading lights to functional lighting. Combine several fittings and create little islands of light.








NEW



Tenora CL-1



Tenora WL-1



Ideal for installation as a reading light
Arm element is individually adjustable
Switch [incl.]



Tenora TL-1



TENORA Range



EEC= A++

Version	Colour	Item no.	Price
Tenora CL-1 E27 / A60 [excl.]	Shade black	156050	
	Shade white	156051	



EEC= E-A+

Version	Colour	Item no.	Price
Tenora WL-1 E27 / A60 [excl.]	Shade black	156020	
	Shade white	156021	




EEC= E-A+

Version	Colour	Item no.	Price
Tenora TL-1 E27 / A60 [excl.]	Shade black	156040	
	Shade white	156041	




Recommended lamp [excl.]	Wattage	Item no.	Price
PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	


[Please find detailed technical data on page 172.]



Bishade SL-1



Bishade PD-1



Bishade TL-1



Bishade consists of two lamp shades, of which the outer one is transparent and the inner one white.




Version	Colour	Item no.	Price
Bishade PD-1 E27 / TC(,.)SE [excl.]	outside black transparent/ inside white	155650	
Bishade TL-1 E27 / A60 [excl.]		155651	
Bishade SL-1 E27 / A60 [excl.]		155652	

EEC= A+A+

EEC= E+A+

EEC= E+A+

BISHADE Range

Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS E27, SMD LED 2700K, EEC=A+	10W	560161	

[Please find detailed technical data on page 173.]





SLV
HIGH-
LIGHT

NEW



Reading light in current trend colours –
matches every style
Switch [incl.]
Premium LED



EEC=
A-A++


Version	Colour	Item no.	Price
Napia LED PowerLED [incl.]	black	155100	
	white	155101	
	champagne	155103	
	alu brushed/anodised	155104	
	green	155105	
	red	155106	

NAPIA

[Please find detailed technical data on page 174.]



Direct and indirect illumination
Switch [incl.]
Light sources on left and right
can be switched separately
Premium LED




Version	Colour	Item no.	Price
Napia Twin per Spot: PowerLED Uplight: SMD LED [incl.]	alu brushed/ anodised	155114	

NAPIA TWIN

[Please find detailed technical data on page 174.]


i

Glass shade fitting with separate reading light
 Individual adjustment of reading light via flex-arm
 Light sources can be switched separately
 Switch [incl.]
 Premium LED



Version	Colour	Item no.	Price
Coupa FlexLED G9/ QT14 [excl.] PowerLED [incl.]	Canopy chrome, Shade glass satined	149452	

Recommended lamp [excl.]	Wattage	Item no.	Price
QT 2700K, EEC=D	33W	519451	

COUPA FLEXLED

[Please find detailed technical data on page 175.]



Individual adjustment of the lamp head
Switch [incl.]




DIO FLEX PLATE LED



Version	Colour	Colour temperature	Item no.	Price
Dio Flex Plate LED	chrome	4000K	146680	
PowerLED [incl.]		3000K	146682	


[Please find detailed technical data on page 175.]




TENORA CL-1

page
164-
165

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade Ø in cm	Shade H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / TC(...)/SE up to max. length: 14,8 cm		steel/ textile/PS	50,0	17,0	50,0	15,0	12,0	2,5	3x 23W max.	white	Shade black	156050
											Shade white	156051




TENORA WL-1

page
164-
165

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Shade Ø in cm	Shade H in cm	Arm L in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
E27 / A60 up to max. Ø/L: 7/12 cm	QA60 TC(...)/SE /	steel/ textile/PS	20,0	16,5	14,0	12,0	2,5	60W max.	chrome	Shade black	156020
										Shade white	156021

Note: Arm element is individually adjustable.



TENORA TL-1

page
164-
165

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade Ø in cm	Shade H in cm	Base Ø in cm	Base H in cm	Supply line L in m	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price
E27 / A60 up to max. L: 14,5 cm	QA60 TC(...)/SE /	steel/ textile/PS	25,0	48,5	25,0	19,5	18,0	2,5	1,8	60W max.	Switch on base [incl.] Supply line: Safety plug [incl.]	chrome	Shade black	156040
												Shade white	156041	

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	



Current draw: 70mA.

PHILIPS E27 Energy-saving Lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	12W	12kWh/1000h	4,75	9,4	0,05	2700K	741lm	CRI 82	EEC=A	509002	
	15W	15kWh/1000h	5,15	10,75			970lm			509012	
	23W	23kWh/1000h	6,15	11,85			1570lm			509022	

Current draw: 90 / 110 / 170 mA



Bishade consists of two lamp shades, of which the outer one is transparent and the inner one white.

[Detail 155651]




BISHADE PD-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price
E27 / TC(...)SE up to max. length: 17 cm	QA60 / TC(...)SE / LED	steel/textile/PS	60,0	38,5	15,0	2,5	3x 23W max.	Switch on supply line [incl.], Mains plug: Euro [incl.]	Canopy chrome Shade outside black transparent/inside white	155650	

page
066-
067



Bishade consists of two lamp shades, of which the outer one is transparent and the inner one white.

[Detail 155651]




BISHADE TL-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Base Ø in cm	Base H in cm	Supply line L	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price
E27 / A60 up to max. L: 15 cm	QA60 / TC(...)SE / LED	textile/PS steel/artificial leather	33,0	56,0	21,0	18,0	2,5	2 m	40W max.	Switch on supply line [incl.], Mains plug: Euro [incl.]	Shade outside black transparent/ inside white	155651	

page
066-
067



Bishade consists of two lamp shades, of which the outer one is transparent and the inner one white.

[Detail 155651]



BISHADE SL-1



Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Ø in cm	Height in cm	Shade H in cm	Base Ø in cm	Base H in cm	Supply line L	Wattage Lamp	Accessories/ Included	Colour	Item no.	Price
E27 / A60 up to max. L: 22 cm	QA60 / TC(...)SE / LED	textile/PS/steel/ artificial leather	46,0	166,0	32,5	28,0	3,0	2 m	40W max.	Switch on supply line [incl.], Mains plug: Euro [incl.]	Shade outside black transparent/ inside white	155652	

page
066-
067

PHILIPS COREPRO LED E27 10W, Type SMD LED, dimmable



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	10W	10kWh/1000h	6	11	2700K	806lm	CRI 80	EEC=A+	560161	


Current draw: 70mA.

PHILIPS E27 Energy-saving Lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Weight in kg	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
E27	12W	12kWh/1000h	4,75	9,4	0,05	2700K	741lm	CRI 82	EEC=A	509002	
	15W	15kWh/1000h	5,15	10,75			970lm			509012	
	23W	23kWh/1000h	6,15	11,85			1570lm			509022	

Current draw: 90 / 110 / 170 mA

SLV
HIGH-LIGHT

NEW



Reading light in current trend colours –
 matches every style
 Switch [incl.]
 Premium LED

NAPIA

220~
-240~
350mA2 Modul
each 1 PowerLED

350°



90°


Spot
32°Uplight
120°

0,52

page
168

Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
PowerLED	aluminium	13,0	13,0	8,6	LED driver [incl.], Switch [incl.]	3,8W	3000K	Spot: 95lm Uplight: 82lm	CRI 80	black	155100	
										white	155101	
										champagne	155103	
										alu brushed/anodised	155104	
										green	155105	
										red	155106	

Note: Light sources can be switched separately.

SLV
HIGH-LIGHT

NEW



Direct and indirect illumination
 Switch [incl.]
 Light sources on left and right can be switched separately
 Premium LED

NAPIA TWIN

220~
-240~LED
3 Modul

83000



350°



90°


Spot
32°Uplight
120°

4,93

page
169


Lamp [incl.]	Material	Width in cm	Height in cm	Depth in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
Spots: LED PowerLED Uplight: LED SMD LED	aluminium	200,0	13,0	8,6	LED driver [incl.], Switch [incl.]	16,6W	3000K	per Spot: 95lm Uplight: 470lm	CRI 80	alu brushed/anodised	155114	

Note: Light sources can be switched separately.



Glass shade fitting with separate reading light
Individual adjustment of reading light via flex-arm
Light sources can be switched separately
Switch [incl.]
Premium LED

COUPA FLEXLED




Socket/Lamp	Lamp options [excl.]	Material	Width in cm	Height in cm	Depth in cm	Canopy W in cm	Canopy H in cm	Canopy D in cm	Accessories/Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
G9/ QT14 [excl.] up to max. length: 9 cm and LED PowerLED [incl.]	TC-HSE / LED	steel/ Glass satined	20,0	24,0	13,0	10,0	15,0	2,5	LED driver [incl.], Switch [incl.]	QT: 40W max. PowerLED: 4,8W	3000K	125lm	CRI>80	Canopy chrome Shade glass satined	149452	

Note: Light sources can be switched separately.

OSRAM OSRAM HALOPIN QT Quartz halogen



Socket	Wattage	Energy consumption	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
G9	33W ± 40W	33kWh/1000h	2700K	460lm	CRI 100	EEC=D	519451	



Individual adjustment of the lamp head via flex-arm
Switch [incl.]

DIO FLEX PLATE LED




Lamp [incl.]	Material	Total L in cm	Head Ø in cm	Head L in cm	Flex-arm L in cm	Canopy Ø in cm	Canopy D in cm	Accessories/Included	Wattage Lamp	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
PowerLED	aluminium	50,0	3,4	6,1	35,0	9,0	4,4	Switch [incl.], LED driver [incl.]	1W	2,2W	4000K 3000K	80lm	CRI>80	chrome	146680 146682	

Note: Individual adjustment of the lamp head via flex-arm.



NURSERY | YOUTH ROOM

Playing, painting or making music requires sufficient lighting in the room – and at night just enough to make your kids calm down in peace. We offer you a selection of fittings that offer just the right light for every situation, are trendy and match young people's taste.








Switch [incl.]




ASTO TUBE



Version	Colour	Item no.	Price
Asto Tube	white	146411	
GU10 / ≤ 1 QPAR51 [excl.]	alu brushed	146416	




Version	Colour	Item no.	Price
Asto Tube 1	white	147411	
GU10 / ≤ 1 QPAR51 [excl.]	alu brushed	147421	




Version	Colour	Item no.	Price
Asto Tube 2	white	147412	
GU10 / ≤ 1 QPAR51 [excl.]	alu brushed	147422	




Version	Colour	Item no.	Price
Asto Tube 3	white	147413	
GU10 / ≤ 1 QPAR51 [excl.]	alu brushed	147423	



Version	Colour	Item no.	Price
Asto Tube 3 Round	white	147414	
GU10 [excl.]	alu brushed	147424	



Recommended lamp [excl.]	Wattage	Item no.	Price
 PHILIPS GU10, SMD LED 2700K, EEC=A+	4,5W	560182	

[Please find detailed technical data on page 181-183.]





**NEW**

Timeless spot – tastes change,
this spot stays
Premium LED




DEBASTO



Version	Colour	Item no.	Price
Debasto LED COB LED [incl.]	black	148500	
	white	148501	
	silver-grey	148504	

[Please find detailed technical data on page 183.]



Switch [incl.]

ASTO TUBE




Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head H in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
GU10 / \triangleleft QPAR51 up to max. Ø/L: 6,4/8,1 cm	\triangleleft QPAR64 / LED	aluminium	7,0	12,0	13,0	7,0	2,5	Switch [incl.]	50W max.	white	146411	
										alu brushed	146416	

Recommended accessory [excl.]: Lamp pliers for MR16/GU10 | 47064C

page
178-
179

PHILIPS COREPRO LED GU10, 4,5W, Type SMD LED



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,4	2700K	560cd	345lm	CRI 80	EEC=A+	560182	

Current draw: 39mA

GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	25W	25kWh/1000h	5,0	5,5	2800K	750cd	150lm	CRI 100	EEC=D	575360	
	35W	35kWh/1000h				1200cd	280lm			575370	



ASTO TUBE 1




Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \triangleleft QPAR51 up to max. Ø/L: 6,4/8,1 cm	\triangleleft QPAR64 / LED	aluminium	7,0	12,0	7,0	2,5	75W max.	white	147411	
								alu brushed	147421	

Recommended accessory [excl.]: Lamp pliers für MR16/GU10 | 47064C

page
178-
179

PHILIPS COREPRO LED GU10, 4,5W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,4	2700K	560cd	345lm	CRI 80	EEC=A+	560182	

Current draw: 39mA

GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	25W	25kWh/1000h	5,0	5,5	2800K	750cd	150lm	CRI 100	EEC=D	575360	
	35W	35kWh/1000h				1200cd	280lm			575370	



ASTO TUBE 2




page 178-179

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head H in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \ast QPAR51 up to max. Ø/L: 6,4/8,1 cm	\ast QPAR64 / LED	aluminium	7,0	12,0	25,0	7,0	2,5	2x 75W max.	white	147412	
									alu brushed	147422	

Recommended accessory [excl.]: Lamp pliers für MR16/GU10 | 470640



PHILIPS COREPRO LED GU10, 4,5W, Type SMD LED




NEW




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,4	2700K	560cd	345lm	CRI 80	EEC=A+	560182	

Current draw: 39mA

PAR20 GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	75W	75kWh/1000h	6,4	6,4	2700K	1750cd	680lm	CRI 100	EEC=D	575682	



ASTO TUBE 3




page 178-179

Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head H in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / \ast QPAR51 up to max. Ø/L: 6,4/8,1 cm	\ast QPAR64 / LED	aluminium	7,0	12,0	36,0	7,0	2,5	3x 75W max.	white	147413	
									alu brushed	147423	

Recommended accessory [excl.]: Lamp pliers für MR16/GU10 | 470640



PHILIPS COREPRO LED GU10, 4,5W, Type SMD LED



NEW




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,4	2700K	560cd	345lm	CRI 80	EEC=A+	560182	

Current draw: 39mA

PAR20 GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	75W	75kWh/1000h	6,4	6,4	2700K	1750cd	680lm	CRI 100	EEC=D	575682	



ASTO TUBE 3 ROUND




Socket/ Lamp [excl.]	Lamp options [excl.]	Material	Head Ø in cm	Head H in cm	Canopy Ø in cm	Canopy H in cm	Wattage Lamp	Colour	Item no.	Price
GU10 / QPAR51 up to max. Ø/L: 6,4/8,1 cm	QPAR64 / LED	aluminium	7,0	12,0	20,0	2,5	3x 75W max.	white	147414	
								alu brushed	147424	

Recommended accessory [excl.]: Lamp pliers für MR16/GU10 | 470640

page
178-
179

PHILIPS COREPRO LED GU10, 4,5W, Type SMD LED




Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	4,5W	5kWh/1000h	5,0	5,4	2700K	560cd	345lm	CRI 80	EEC=A+	560182	


Current draw: 39mA



PAR20 GU10 Quartz halogen



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminosity	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
GU10	75W	75kWh/1000h	6,4	6,4	2700K	1750cd	680lm	CRI 100	EEC=D	575682	



Timeless spot – tastes change, this spot stays.
Premium LED

DEBASTO




Lamp [incl.]	Material	Height in cm	Head Ø in cm	Head L in cm	Canopy H in cm	Canopy Ø in cm	System Wattage	Colour temperature	Luminous flux	Colour rendering	Accessories/ Included	Colour	Item no.	Price
COB LED	aluminium/steel	13,5	6,2	9,2	2,5	8,0	8W	3000K	360lm	CRI 80	LED driver [incl.]	black	148500	
												white	148501	
												silver-grey	148504	

page
180



HOME OFFICE

It is essential for your home station to be equipped with appropriate lighting. Our lighting solutions developed especially for screen desktops allow you to not only furnish your home office effectively, but modern as well.






NEW


LED PANEL ROUND



Version	Colour	Colour temperature	Item no.	Price
LED Panel Round LED SMD LED [incl.]	white	2700K	158622	
		3000K	158623	
		4000K	158624	
	silver-grey	2700K	158632	
		3000K	158633	
		4000K	158634	

Recommended accessory [excl.]	Wattage	Item no.	Price
EP1 Dimmer 1-10V	10W max.	470505	

[Please find detailed technical data on page 191.]



KUNO

T
O 1,5 m EEC= A-A+



Version	Colour	Item no.	Price
Kuno 2x G5 / T16 [excl.]	white	160831	
	silver-grey	160832	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A+	35W	548035	

Recommended accessory [excl.]	Colour	Item no.	Price
Canopy Tron for Kuno	white	925191	
	silver-grey	925190	

[Please find detailed technical data on page 191.]



Glare-free light for an ideally illuminated work station.
Darklight grid according to DIN 5035-7,
 suitable for desktop work stations
 Dimmable
 Electronic ballast



EEC=
A-A+



Version	Colour	Item no.	Price
Work Light Pendant 2x G5 / → T16 [excl.]	silver-grey	157284	

Recommended lamp [excl.]	Wattage	Item no.	Price
T16 3000K, EEC=A+	54W	548054	

WORK LIGHT PENDANT


[Please find detailed technical data on page 192.]



Glare-free light for an ideally illuminated work station.
Darklight grid according to DIN 5035-7, suitable for desktop work stations



Version	Colour	Item no.	Price
Work Light Floor 4x 2G11 /  TC-L [excl.]	silver-grey	157152	

 Recommended lamp [excl.]	Wattage	Item no.	Price
TC-L 4000K, EEC=A	55W	508451	



Recommended accessory [excl.]	Material	Item no.	Price
Darklight grid für Work Light Floor	ultra-clean aluminium high-gloss	157154	

[Please find detailed technical data on page 192.]


WORK LIGHT FLOOR



SLV
HIGH-LIGHT



Solid, high-quality workmanship
Individual adjustments possible due
to adjustable arm and foot
Premium LED





MECANICA




Version	Colour	Item no.	Price
Mecanica Table Lamp LED SMD LED [incl.]	black	146050	
Mecanica Floor Stand LED SMD LED [incl.]		146060	

[Please find detailed technical data on page 193.]



LED PANEL ROUND





Lamp [incl.]	Material	Ø in cm	Height in cm	Canopy Ø in cm	Canopy H in cm	Accessories/ Included	System Wattage	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
LED SMD LED	aluminium	60,4	2,7	16,1	4,7	LED driver [incl.]	39,71W	2700K	2630lm	CRI 80	white	158622	
								3000K				158623	
								4000K				158624	
								2700K	2630lm		silver-grey	158632	
								3000K				158633	
								4000K				158634	

EP1 DIMMER 1-10V

Description	Wattage	Length in cm	Width in cm	Height ¹ in cm	Height ² in cm	Axes Ø in cm	Weight in kg	Item no.	Price
EP1 Dimmer 1-10V	10W max.	2,3	3,9	2,0	3,6	0,6	0,04	470505	

For connection with controls of 1-10V control voltage.



KUNO



Socket/ Lamp [excl.]	Material	Length in cm	Width in cm	Height in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium Diffusor PMMA	149,0	13,5	3,0	Electronic ballast [incl.], Canopy [excl.]	2x 35W	white	160831	
							silver-grey	160832	

Note: This fitting will be shipped with an open cable end. If required, please order the canopy Tron separately.

Recommended accessory [excl.]:
Canopy Tron, strain-relief [incl.], L/W/H: 10/5,4/3 cm | white | 925191
Canopy Tron, strain-relief [incl.], L/W/H: 10/5,4/3 cm | silver-grey | 925190

T5 Energy-saving Lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
G5	35W	38kWh/1000h	1,6	145,0	3000K	3300lm	CRI 85	EEC=A+	548035	
					4000K				548135	

Packaging unit: 10 pcs. [Packagings of 3 available without any extra costs. Please contact our sales department.]



Glare-free light for an ideally illuminated work station.
Darklight grid according to DIN 5035-7, suitable for desktop work stations
Dimmable
Electronic ballast

WORK LIGHT PENDANT



page 188

Socket/ Lamp [excl.]	Material	Length in cm	Width in cm	Height in cm	Canopy L in cm	Canopy W in cm	Canopy H in cm	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
G5 / T16	aluminium	122,5	18,5	6,0	7,5	7,5	2,5	Electronic ballast [incl.], Canopy [incl.], Grid [incl.]	2x 54W	silver-grey	157284	

T5 Energy-saving Lamp



Socket	Wattage	Energy consumption	Ø in cm	Length in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
G5	54W	60kWh/1000h	1,6	115,0	3000K	4450lm	CRI 85	EEC=A+	548054	
					4000K				548154	

Packaging unit: 10 pcs. [Packagings of 3 available without any extra costs. Please contact our sales department.]



Glare-free light for an ideally illuminated work station.
Darklight grid according to DIN 5035-7, suitable for desktop work stations

WORK LIGHT FLOOR



page 189

Socket/ Lamp [excl.]	Material	Width in cm	Height in cm	Depth in cm	Base L in cm	Base W in cm	Supply line L	Accessories/ Included	Wattage Lamp	Colour	Item no.	Price
2G11 / TC-L	aluminium/plastics	42,0	185,0	60,0	40,0	34,2	2 m	Electronic ballast [incl.], 2 switches [incl.], Mains plug: safety plug [incl.], grid [excl.]	4x 55W	silver-grey	157152	


Note: 2 switches for operation with half or full luminance.

Recommended accessory										Item no.	Price
Darklight grid, ultra-clean aluminium, high-gloss L/W/H: 54,3/14/5 cm The darklight grid according to DIN 5035-7 is suitable for desktop workstations. It enables glare-free light and an ideally illuminated workstation. Two grids are required per fitting.										157154	

TC-L 2G11 4-pin energy-saving lamp



Socket	Wattage	Energy consumption	Length in cm	Width in cm	Height in cm	Colour temperature	Luminous flux	Colour rendering	Energy efficiency class	Item no.	Price
2G11	55W	61kWh/1000h	54,2	3,9	2,4	3000K	4800lm	CRI 82	EEC=A	508450	
						4000K				508451	



[Filmclip]




Solid, high-quality workmanship
Individual adjustments possible due
to adjustable arm and foot
Premium LED

MECANICA Table Lamp



Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Supply line L	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
SMD LED	aluminium/steel	22,0	14,0	51,2	2 m	Switch on base [incl.], Mains plug: Euro [incl.]	8,5W	6W	3000K	385lm	CRI 85	black	146050	

page 190



Solid, high-quality workmanship
Individual adjustments possible due
to adjustable arm and foot
Premium LED

MECANICA Floor Stand





Lamp [incl.]	Material	Length in cm	Width in cm	Height in cm	Supply line L	Accessories/ Included	System Wattage	Wattage Lamp	Colour temperature	Luminous flux	Colour rendering	Colour	Item no.	Price
SMD LED	aluminium/steel	30,0	20,0	136,0	2 m	Switch on top of main rod [incl.], Mains plug: Euro [incl.]	8,5W	6W	3000K	385lm	CRI 85	black	146060	

page 190



SLV CONTROL

SLV Control allows you to comfortably control your home and garden via remote control or an app on your smart phone! With the flexible radio system you can easily connect your luminaires and roller shutters and control all connected devices at the push of a button. Roller shutters can be opened and closed or the light can be switched on and off as well as dimmed. SLV Control offers your individual requirements space while being extremely comfortable to handle.





INTERNET CONTROL STATION



RF range in m [indoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	16,5	13,0	3,3	470801	

Note: With the free SLV app for iOS or Android all programmed light scenes/sources/circuits can be controlled comfortably and wirelessly.
For single fittings and/or light sequences different timers can be programmed.

RADIO REMOTE CONTROL 16-channel



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	3500W max.	13,0	3,4	1,2	470800	

Accessories/Included: 1x 3V Lithium battery CR2032 [incl.]
Note: Automatic code system. 16 channels with group function.
For controlling the receiver moduls.

RADIO OUTDOOR MOTION DETECTOR



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	3500W max.	8,4	9,0	9,9	470809	

Accessories/Included: Battery operation: 2x 1,5V AAA [excl.]

Note: Registration angle (horizontally): 20°-110°

Registration angle (vertically): 65°

Registration distance: max. 7 m

Switch-off delay: 5s, 1min, 5min, 10min

Ambience brightness for activation: H = always active;

- M = active if ambience brightness <20lux; - L = active if ambience brightness <10lux

RADIO INDOOR MOTION DETECTOR



RF range in m [indoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	8,0	8,0	2,7	470813	

Accessories/Included: Battery operation: 2x 1,5V AAA [excl.]

Note: Registration angle (horizontally): 20°-80°

Registration angle (vertically): 65°

Registration distance: max. 7m

Switch-off delay: 5s, 1min, 5min, 10min

Ambience brightness for activation: H = always active;

- M = active if ambience brightness <20lux; - L = active if ambience brightness <10lux

Can be fixed or glued on smooth surfaces.





NEW

RADIO WALL SWITCH single



RF range in m [indoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	7,9	7,9	1,7	470812	

Accessories/Included: Battery CR2032 [incl.]
Note: Switch-off delay: 5s, 30s, 2min, 10min, 30min, 1h, 3h
Can be fixed or glued on smooth surfaces.

RADIO WALL SWITCH double



RF range in m [indoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	7,9	7,9	1,7	470819	

Accessories/Included: Battery CR2032 [incl.]
Note: Switch-off delay: 5s, 30s, 2min, 10min, 30min, 1h, 3h
Can be fixed or glued on smooth surfaces.

RADIO DAY/NIGHT SENSOR



RF range in m [indoor]	RF range in m [outdoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	5,9	8,8	2,7	470815	

Accessories/Included: Battery operation: 2x 1,5V AAA [excl.]
Note: Switch-off delay: 2/3/4/5/6/7/8h

RADIO MAGNET SWITCH



RF range in m [indoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	2,9	7,4	1,7	470814	
	1,6	7,4	1,7		

Accessories/Included: Battery CR2032 [incl.]
Note: Switch-off delay: 2/4/6/8/10/15/20min



3-CHANNEL RADIO RECEIVER MODULE



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Length in cm	Width in cm	Height in cm	Item no.	Price
30,0 max.	70,0 max.	3500W max.	9,8	3,0	6,1	470803	

Note: Radio reach up to 30 m inside (depends on local conditions).

Radio reach up to 70 m outside (given ideal conditions).

Up to 6 radio transmitters can be connected per channel.

Compatible with filament lamps, halogen lamps, compact fluorescent lamps, LED lamps and fluorescent tubes with electronic ballasts.

Not compatible with fluorescent tubes with conventional ballasts.



IP56 HOUSING for 3-channel receiver module



Länge in cm	Width in cm	Height in cm	Item no.	Price
16,4	4,8	10,9	470804	

Note: For IP-proof outdoor installation of the receiver [470803].



RADIO SOCKET SWITCH



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	3500W max.	5,3	9,8	6,9	470805	

Note: Up to 6 radio transmitters can be connected.



RADIO SOCKET OUTDOOR



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Length in cm	Width in cm	Height in cm	Item no.	Price
30,0 max.	70,0 max.	3500W max.	12,3	8,3	3,7	470808	

Note: Up to 6 radio transmitters can be connected.






RADIO RECESSED MULTIDIMMER

with 6 memory addresses



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	200W max. LED & ESL 24W max.	6,9	5,4	2,9	470807	

Note: Up to 6 radio transmitters can be connected.
Compatible with filament lamps, halogen lamps, compact fluorescent lamps, LED lamps and fluorescent tubes with electronic ballasts.
Not compatible with fluorescent tubes with conventional ballasts.

RADIO RECESSED SWITCH

with 6 memory addresses



RF range in m [indoor]	RF range in m [outdoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	1000W max.	6,8	5,3	2,5	470806	

Note: Up to 6 radio transmitters can be connected.
Compatible with filament lamps, halogen lamps, compact fluorescent lamps, LED lamps and fluorescent tubes with electronic ballasts.
Not compatible with fluorescent tubes with conventional ballasts.

SIGNAL AMPLIFIER



RF range in m [indoor]	RF range in m [outdoor]	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	70,0 max.	10,0	10,0	4,0	470810	

Accessories/Included: Battery operation: 2x 1,5V AA [excl.]
Note: Up to 6 radio transmitters can be connected. Extends the reception range.

RECEIVER

to control shutters



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	500W max.	6,8	5,3	2,5	470816	

Note: Up to 6 radio transmitters can be connected.



RADIO SWITCH MODULE

for switch socket installation



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	30-230W	4,2	4,5	1,4	470817	

Note: Up to 6 radio transmitters can be connected.

Compatible with filament lamps, 230V halogen lamps, 12V halogen lamps with electronic transformer, compact fluorescent lamps, LED lamps and fluorescent tubes with electronic ballasts.

RADIO SWITCH MODULE

for switch socket installation with neutral conductor



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	300W max. LED 120W max.	4,1	4,7	1,7	470818	

Note: Up to 6 radio transmitters can be connected.

Switch light on and off with radio transmitter or existing light switch.

RADIO DIMMER MODULE

for switch socket installation



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	20-250W LED 3-24W	4,2	4,5	1,4	470811	

Note: Up to 6 radio transmitters can be connected.

Not compatible with non-dimmable lamps and fittings.

RADIO SWITCH MODULE

for switching flush sockets



RF range in m [indoor]	Total Wattage	Width in cm	Height in cm	Depth in cm	Item no.	Price
30,0 max.	3500W max.	4,0	4,1	1,5	470820	

Note: Up to 6 radio transmitters can be connected.

All electronic devices with supply line can be controlled.





Transmitter and receiver can be combined arbitrarily,
thus offering various application options.



Radio remote control [470800]




Radio wall switch, double [470819]




Internet control station [470801]
Controllable via SLV app




Radio motion detector [470809]




Receiver module [470803]
+ Outdoor housing [470804]



Radio socket [470808]



Receiver module [470803]
+ outdoor housing [470804]



PRODUCT FEATURES

230~ 350 mA	230~ 350 mA	Operation voltage · High-voltage 230~ · Integrated converter for 230V alternating voltage to 350mA constant direct current · Low-voltage with voltage converter for high-voltage systems 230~/12~ · Low-voltage 12~
-------------------	-------------------	---

EEK= E-A++	EEK= E-A++	Energy efficiency class „This luminaire is compatible with bulbs of the energy classes ...”
------------	------------	--

EEK= D-A++	LED EEK= D-A++	„This luminaire contains built-in LED lamps and has sockets for bulbs of the energy classes ...”
------------	-------------------	--

	Fittings with built-in LEDs „This luminaire contains built-in LED lamps. The lamps cannot be changed in the luminaire.” [see EU directive 874/2012]
--	---

	<i>Note for the end customer:</i> „This luminaire contains built-in LED lamps. The lamps cannot be changed in the luminaire.” [see EU directive 874/2012]
--	---

	<i>Note for the dealer:</i> Information regarding repair of our products is available on request from our customer service.
--	--

VG EEI=A1	VG EEI=A2	VG EEI=B1	Energy efficiency index of the ballast
--------------	--------------	--------------	--

	Dimmable with ... · Trailing-edge phase dimmer · Leading-edge phase dimmer · 1-10V · according accessories [for lamps e.g. with dimmable electronic ballast or low-voltage lamp]
--	--

LED 35 pcs.	Module 1 COB LED	LED equipment Number and type of built-in LEDs.
----------------	---------------------	--

9,5	Weight of the product in kg
-----	-----------------------------

340°	Adjustability: Fitting · Slewing range · Pivoting range
------	---

60°	Adjustability: Lamp/part of fitting · multi-directional · multi-directional up to the indicated value
-----	---

50° 15°-30° 40° 70°	Beam angle symmetrical / focusable / asymmetrical
---------------------	--

1,5 m	Pendant cable length for pendants in m
-------	--

20	Maximum distance between wires for low-voltage wire systems in cm
----	---

2500	Average life span of a lamp or light source in hours.
------	---

	We are happy to provide you with a light distribution curve for the respective product on request.
--	--

	Reflector lamps Multi mirror lamps [cool beam]: The main heat is emitted towards the back side of the reflector. Reduced thermal load at the light beam.
--	---

	Reflector lamps Direct beam lamps [no cool beam]: Thermal load at the light beam, therefore hardly any heat development on the back side of the reflector.
--	---

SPECIFIC DATA – RECESSED FITTINGS

9,5	Installation depth in cm [In case an installation box is included, the dimensions refer to its size.]
-----	--

9,5/22 9,5/22 7,2	Installation cutout in cm Shape and size
-------------------	---

90°C	Heat development on the inground fitting's surface
------	--

0,8 t	Weight capacity of the product up to the indicated value in tons. Measures are based on installation in concrete.
-------	---

APPLICATION/INSTALLATION

	Mounting space · Wall [with respective accessories] · Ceiling · Floor · Recessed
--	--

	· Mounting surface on the wide side · Mounting surface on the small side [vertical] · Mounting surface on the small side [horizontal]
--	---

	· Application exclusively indoors · CRI<80; not suitable for indoor application · Suitable for outdoors [IP classification]
--	---

	Mounting on normally inflammable surfaces · not suitable for direct fixation · not suitable if using a lamp >50W
--	--

	· Allows mounting the device on materials with unknown inflammation behaviour.
--	--

	Lamp suitable for application in fittings ... · with protective glass. · without protective glass.
--	--

max. 2,5 mm²	Maximum conductor cross-section
-----------------	---------------------------------

7-12	Cable diameter in mm
------	----------------------

	Through-wiring ... · possible. · possible up to the indicated number of fittings.
--	---

	Independent converter [Electronic transformer for application outside of fittings as well.]
--	--

SAFETY-RELATED INFORMATION

	Protection class one / two / three
--	------------------------------------

16A max.	Maximum current carrying capacity
----------	-----------------------------------

110 115 130	Protection in case of failure for indicated temperature in °C
-------------	---

115° C	Thermal fuse with temperature indication in °C
--------	--

ta 40° -25°~+40°	· Allowed surrounding temperature in °C · Allowed temperature range in °C
------------------	--

	Lamp is equipped with UV protection.
--	--------------------------------------

	Short-circuit-proof protection transformer
--	--

5 J	Impact resistance of the product up to the indicated value in Joule
-----	---

TEST MARKS

	Product VDE-tested
--	--------------------

	Product TÜV design / TÜV GS-tested
--	------------------------------------

	Product ENEC-tested
--	---------------------

	Product KEMA-tested [Netherlands]
--	-----------------------------------

	Product Nemco-tested [Norway]
--	-------------------------------

	Product Semco-tested [Sweden]
--	-------------------------------

SPECIAL SYMBOLS



Application of the fitting above 2,5 m when operating with halogen lamps; this restriction does not apply in case of exclusive use of LED or energy-saving lamps.



Application of the fitting out of arm's reach only [above 2,5 m]




Marks products newly introduced in this catalogue.



After priming the fitting can be painted over with wall paint.



Fitting is approved for the respectively indicated IP class.



Light emission

- single-ray
- double-ray
- with beam
- asymmetrical
- with percentaged distribution



ON OFF

Marks, in special cases, the on/off state of a fitting in the respective picture.



MR IR

Marks fittings with motion detector [Microwave (MR) technique / infrared].



Note on a product's special quality features.



Marks a product with features to be highlighted in particular, such as quality of the material, design, suitability for special application, lamps (such as LED Inside or Retrofit), particularly high luminous flux.

CUSTOMER INFORMATION

Information about heat development on lamp housing:

Halogen lamps and metal-halide discharge lamps (HID) have a high operating temperature and can cause a heating of the respective lamp housing. The latter must therefore only be touched in cooled condition. Adjustable fittings or lamp heads which do not have an isolated adjustment handle or exceed the permissible housing temperature at the adjustment point during operation with maximum lamp wattage must be mounted out of arm's reach.

LED Retrofit lamps are available as low-temperature alternatives to most of our halogen lamps.

Luminous flux:

The total light quantity produced by a light source is indicated in Lumen (lm).

Luminosity:

Luminous flux released per solid angle. Indicated in Candela (cd).

Colour rendering index:

The colour rendering characteristics of a light source is described by the CRI. For light sources applied indoors a CRI of 80 or higher is compulsory. Light sources for outdoors require a CRI of at least 65.

Light colour:

The light colour of a light source is indicated in K (Kelvin).

Standard LED:

The classic LED model (3 mm or 5 mm LED). Those were originally developed for indication purposes, such as for instrument panels.

Standard SMD LED:

SMD means „Surface Mounted Device“. It's a compact LED that has been soldered directly on the lead frame without any wire bonding. SMD is available in different sizes and well suited for lighting purposes.

PowerLED:

PowerLED is a high-performance LED with a wattage of 1W and more. It sets high requirements to the current constancy and should therefore only be operated with constant current sources. In case several LEDs are to be connected, they need to be connected in series. A parallel connection is inadmissible. Please also keep the order of installation in mind in order not to temporarily expose the LEDs to high currents that may damage them. In general: First connect the secondary circuit [LEDs to driver], then close the primary circuit [LED driver to current source].

Chip On Board LED (COB LED); Flat Panel LED:

is an LED of extremely flat design. The COB LED's advantage is a good heat dissipation given the technical implementation with cooling surfaces, which enables a high light output as well as a long life span.

Stainless steel 304:

(1.4301) Good corrosion resistance for natural environmental media (water, municipal and rural atmosphere) with the absence of significant chlorine and salt concentration. However, 1.4301 is not suitable for applications where contact is made with sea water, salty water or a salty atmosphere. It is also not suitable for application in swimming pools and the like.

Stainless steel 316:

(1.4404) For natural environmental media (water, municipal and rural atmosphere) as well as industrial areas with moderate chlorine and salt concentration, for food and pharmaceutical industry and the rural food sector 1.4404 exhibits excellent corrosion resistance. It is not saltwater-proof.

Please note:

A large part of the products presented in this catalogue is protected by registered trade marks, design patents, utility models or patents. An offence against the patent rights or usage of text and layout without our permission will be legally pursued. All products of our portfolio are subject to strict quality inspection and fulfil the generally valid standards (CE). The illustrations and data displayed in this catalogue are for illustration only and noncommittal in colour, shape, execution and technical data. All weight and length specifications are indicated in kg or cm if not stated otherwise. Products marked with a ▼ are phase-out models.

The presentation of our lamps by realistic and exemplary application photos is possible due to the friendly compliancy and consent of the owners or designers of the surroundings shown in the foreground of the pictures. Again we would like to heartily thank everyone who contributed to the appearance and use of our photos with their consent.

Conception and Design:

Corporate Creative Center, Übach-Palenberg, 2015

Print:

Weiss-Druck GmbH & Co. KG, Monschau

Photography [according to number of photos]:

- Photo studio CCC, Übach-Palenberg
- Photo studio Gerd Arnolds, Aachen
- Photo studio Andreas Fein, Cologne
- Photo studio Günter Preissler, Stolberg

